

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121518\
 Data File : VW007456.D
 Acq On : 12 Dec 2018 23:39
 Operator : SY/AP
 Sample : J6275-04RE
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF-04-120418RE

Quant Time: Dec 13 06:08:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 11 02:58:16 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	7285	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	12425	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	11208	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	5231	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	3727	46.11	ug/l	0.00
Spiked Amount	50.000		Recovery	=	92.22%	
35) Dibromofluoromethane	7.88	113	3544	47.12	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.24%	
50) Toluene-d8	10.32	98	11055	39.20	ug/l	0.00
Spiked Amount	50.000		Recovery	=	78.40%	
62) 4-Bromofluorobenzene	12.62	95	4262	41.10	ug/l	0.00
Spiked Amount	50.000		Recovery	=	82.20%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121518\
Data File : VW007456.D
Acq On : 12 Dec 2018 23:39
Operator : SY/AP
Sample : J6275-04RE
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF-04-120418RE

Quant Time: Dec 13 06:08:22 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 11 02:58:16 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.00 min

Lab File: VW007456.D

Acq: 12 Dec 2018 23:39

Instrument :

MSVOA_W

ClientSampleId :


BF-04-120418RE

Tot Ion:168 Resp: 7285

Ion Ratio Lower Upper




168 100

99 64.8 48.3 72.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 46.114 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW007456.D


Acq: 12 Dec 2018 23:39

Tgt Ion: 65 Resp: 3727

Ion Ratio Lower Upper



65 100


67 56.0 0.0 101.6



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW007456.D
 Acq: 12 Dec 2018 23:39

Instrument :
 MSVOA_W
 ClientSampleId :
 BF-04-120418RE

Tot Ion:114 Resp: 12425
 Ion Ratio Lower Upper
 114 100
 63 22.1 0.0 39.6
 88 12.7 0.0 31.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VW
 Ion 87.90 (87.60 to 88.60): VW






#35
 Dibromofluoromethane
 Concen: 47.119 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. -0.00 min
 Lab File: VW007456.D
 Acq: 12 Dec 2018 23:39

Tgt Ion:113 Resp: 3544
 Ion Ratio Lower Upper
 113 100
 111 105.1 81.1 121.7
 192 16.1 14.6 21.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 39.201 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW007456.D

Acq: 12 Dec 2018 23:39

Instrument :

MSVOA_W

ClientSampleId :


BF-04-120418RE

Tot Ion: 98 Resp: 11055

Ion Ratio Lower Upper




98 100

100 64.9 51.8 77.8



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW



#62

4-Bromofluorobenzene

Concen: 41.104 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.00 min

Lab File: VW007456.D

Acq: 12 Dec 2018 23:39


Tgt Ion: 95 Resp: 4262

Ion Ratio Lower Upper

95 100

174 75.0 0.0 147.2



176 72.1 0.0 138.8




Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW007456.D
Acq: 12 Dec 2018 23:39

Instrument :
MSVOA_W
ClientSampleId :
BF-04-120418RE

Tot Ion:117 Resp: 11208
Ion Ratio Lower Upper
117 100
82 51.2 42.3 63.5
119 32.1 23.0 34.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW007456.D
Acq: 12 Dec 2018 23:39

Tgt Ion:152 Resp: 5231
Ion Ratio Lower Upper
152 100
115 61.8 31.4 94.2
150 150.0 0.0 358.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

