

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121518\
 Data File : VW007459.D
 Acq On : 13 Dec 2018 00:56
 Operator : SY/AP
 Sample : J6340-01
 Misc : 4.54G/5ML/MSVOA W/SOIL
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SB-02A

Quant Time: Dec 13 04:44:28 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 11 02:58:16 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	66369	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	114895	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	84902	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	21703	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	35142	47.73	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.46%	
35) Dibromofluoromethane	7.88	113	33731	48.50	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.00%	
50) Toluene-d8	10.32	98	102452	39.29	ug/l	0.00
Spiked Amount	50.000		Recovery	=	78.58%	
62) 4-Bromofluorobenzene	12.62	95	26475	27.61	ug/l	0.00
Spiked Amount	50.000		Recovery	=	55.22%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121518\
Data File : VW007459.D
Acq On : 13 Dec 2018 00:56
Operator : SY/AP
Sample : J6340-01
Misc : 4.54G/5ML/MSVOA W/SOIL
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SB-02A

Quant Time: Dec 13 04:44:28 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 11 02:58:16 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.01 min

Lab File: VW007459.D

Acq: 13 Dec 2018 00:56

Instrument :

MSVOA_W

ClientSampleId :


SB-02A

Tot Ion:168 Resp: 66369

Ion Ratio Lower Upper




168 100

99 61.7 48.3 72.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 47.727 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. 0.00 min

Lab File: VW007459.D


Acq: 13 Dec 2018 00:56

Tgt Ion: 65 Resp: 35142

Ion Ratio Lower Upper



65 100


67 50.1 0.0 101.6



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW007459.D
 Acq: 13 Dec 2018 00:56




Instrument :
 MSVOA_W
 ClientSampleId :
 SB-02A


Tot Ion	Ratio	Lower	Upper
114	100		
63	18.7	0.0	39.6
88	15.7	0.0	31.4



#35
 Dibromofluoromethane
 Concen: 48.499 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.00 min
 Lab File: VW007459.D
 Acq: 13 Dec 2018 00:56

Tgt Ion	Ratio	Lower	Upper
113	100		
111	102.7	81.1	121.7
192	17.7	14.6	21.8





#50

Toluene-d8

Concen: 39.287 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW007459.D

Acq: 13 Dec 2018 00:56

Instrument :

MSVOA_W

ClientSampleId :





SB-02A

Tot Ion: 98 Resp: 102452

Ion Ratio Lower Upper

98 100

100 65.3 51.8 77.8



#62

4-Bromofluorobenzene

Concen: 27.612 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.00 min

Lab File: VW007459.D

Acq: 13 Dec 2018 00:56




Tgt Ion: 95 Resp: 26475


Ion Ratio Lower Upper

95 100

174 76.1 0.0 147.2

176 73.3 0.0 138.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW007459.D
Acq: 13 Dec 2018 00:56

Instrument :
MSVOA_W
ClientSampleId :
SB-02A

Tot Ion:117 Resp: 84902
Ion Ratio Lower Upper
117 100
82 54.7 42.3 63.5
119 31.7 23.0 34.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. 0.00 min
Lab File: VW007459.D
Acq: 13 Dec 2018 00:56

Tgt Ion:152 Resp: 21703
Ion Ratio Lower Upper
152 100
115 62.7 31.4 94.2
150 158.6 0.0 358.4

