

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121823\
 Data File : VW027723.D
 Acq On : 18 Dec 2023 12:12
 Operator : SY/MD
 Sample : 05834-05RE
 Misc : 5.74g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Dec 18 22:12:57 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sun Dec 17 01:25:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1249840	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	1055746	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	458999	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	336456	19.008	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.040%
7) Chloroethane-d5	2.899	69	272602	19.780	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.120%
11) 1,1-Dichloroethene-d2	4.021	65	136880	19.309	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.240%
21) 2-Butanone-d5	7.094	46	90692	30.089	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	60.180%
24) Chloroform-d	7.648	84	577224	19.409	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.640%
26) 1,2-Dichloroethane-d4	8.307	65	257123	18.413	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	73.640%
32) Benzene-d6	8.276	84	1284970	20.826	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.320%
36) 1,2-Dichloropropane-d6	9.270	67	353753	20.237	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.960%
41) Toluene-d8	10.319	98	1182790	20.661	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.640%
43) trans-1,3-Dichloroprop...	10.575	79	131915	19.491	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.960%
47) 2-Hexanone-d5	10.922	63	88830	34.871	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.740%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	221654	16.767	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	67.080%
66) 1,2-Dichlorobenzene-d4	13.848	152	329062	20.028	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	80.120%
Target Compounds						Qvalue
46) Tetrachloroethene	10.861	164	284382	21.348	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121823\
Data File : VW027723.D
Acq On : 18 Dec 2023 12:12
Operator : SY/MD
Sample : 05834-05RE
Misc : 5.74g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Dec 18 22:12:57 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121523SMA.M
Quant Title : SFAM01.0
QLast Update : Sun Dec 17 01:25:09 2023
Response via : Initial Calibration





#46
 Tetrachloroethene
 Concen: 21.348 ug/L
 RT: 10.861 min Scan# 14
 Delta R.T. -0.000 min
 Lab File: VW027723.D
 Acq: 18 Dec 2023 12:12

Instrument :
 MSVOA_W
 ClientSampleId :



Tgt Ion:164 Resp: 284382

Ion	Ratio	Lower	Upper
164	100		
129	84.7	70.5	130.9
131	91.9	64.8	120.3
166	132.9	94.8	176.0

