

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121824\
 Data File : VW031363.D
 Acq On : 19 Dec 2024 01:18
 Operator : SY/MD
 Sample : P5258-17
 Misc : 5.21g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E28Y0

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 12/19/2024
 Supervised By :Mahesh Dadoda 12/20/2024

Quant Time: Dec 19 04:13:48 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 19 04:08:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	586506	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	534435	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	259609	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	202588	22.957	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.840%		
7) Chloroethane-d5	2.899	69	163037	24.976	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	99.920%		
11) 1,1-Dichloroethene-d2	4.015	65	91027	21.746	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	87.000%		
21) 2-Butanone-d5	7.094	46	105477	63.468	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	126.940%		
24) Chloroform-d	7.648	84	413001	25.701	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	102.800%		
26) 1,2-Dichloroethane-d4	8.301	65	236221m	29.270	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	117.080%		
32) Benzene-d6	8.270	84	844241	24.646	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	98.600%		
36) 1,2-Dichloropropane-d6	9.270	67	250879	25.130	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	100.520%		
41) Toluene-d8	10.319	98	773031	24.258	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	97.040%		
43) trans-1,3-Dichloroprop...	10.575	79	102912	22.357	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	89.440%		
47) 2-Hexanone-d5	10.922	63	85906	63.986	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	127.980%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	197366	31.487	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	125.960%#		
66) 1,2-Dichlorobenzene-d4	13.849	152	260485	27.028	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	108.120%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121824\
Data File : VW031363.D
Acq On : 19 Dec 2024 01:18
Operator : SY/MD
Sample : P5258-17
Misc : 5.21g/10mL/MSVOA_W/SOIL/B
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E28Y0

Quant Time: Dec 19 04:13:48 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 19 04:08:34 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 12/19/2024
Supervised By :Mahesh Dadoda 12/20/2024

