

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121824\
 Data File : VW031361.D
 Acq On : 19 Dec 2024 00:30
 Operator : SY/MD
 Sample : P5302-10
 Misc : 7.49g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E2AS1

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 12/19/2024
 Supervised By :Mahesh Dadoda 12/20/2024

Quant Time: Dec 19 04:13:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Dec 19 04:08:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	440665	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	381854	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	130114	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	85161	12.844	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	51.360%		
7) Chloroethane-d5	2.893	69	74568	15.204	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	60.800%		
11) 1,1-Dichloroethene-d2	4.009	65	39144	12.446	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	49.800%		
21) 2-Butanone-d5	7.093	46	63476	50.836	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	101.680%		
24) Chloroform-d	7.648	84	190041	15.740	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	62.960%		
26) 1,2-Dichloroethane-d4	8.307	65	130559m	21.531	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	86.120%		
32) Benzene-d6	8.270	84	376930	15.401	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	61.600%		
36) 1,2-Dichloropropane-d6	9.270	67	124990	17.523	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	70.080%		
41) Toluene-d8	10.319	98	330202	14.502	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	58.000%		
43) trans-1,3-Dichloroprop...	10.575	79	52644	16.006	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	64.040%		
47) 2-Hexanone-d5	10.922	63	49111	51.197	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	102.400%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	103070	23.014	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	92.040%		
66) 1,2-Dichlorobenzene-d4	13.848	152	78590	16.270	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	65.080%#		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121824\
Data File : VW031361.D
Acq On : 19 Dec 2024 00:30
Operator : SY/MD
Sample : P5302-10
Misc : 7.49g/10mL/MSVOA_W/SOIL/A
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E2AS1

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 12/19/2024
Supervised By :Mahesh Dadoda 12/20/2024

Quant Time: Dec 19 04:13:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Dec 19 04:08:34 2024
Response via : Initial Calibration

