

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW121919\
 Data File : VW014456.D
 Acq On : 19 Dec 2019 11:39
 Operator : SY/VA
 Sample : VW1219SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK16

Manual Integrations
 APPROVED

MMDadoda
 12/20/2019 1:17:40 PM

Quant Time: Dec 20 01:20:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 20 01:12:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	929194	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	843456	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	358098	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	257588	18.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.24%
7) Chloroethane-d5	2.89	69	219903	21.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.08%
10) 1,1-Dichloroethene-d2	4.02	63	381018	15.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.32%
20) 2-Butanone-d5	7.07	46	186905	50.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.94%
24) Chloroform-d	7.65	84	534434m	22.59	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.36%
26) 1,2-Dichloroethane-d4	8.31	65	293124	23.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.52%
29) Benzene-d6	8.27	84	1089062	22.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.12%
33) 1,2-Dichloropropane-d6	9.27	67	344959	22.68	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.72%
37) Toluene-d8	10.32	98	951351	21.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.12%
38) trans-1,3-Dichloropropene-	10.58	79	129819	20.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.40%
39) 2-Hexanone-d5	10.92	63	133146	44.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.06%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	279659	22.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	315741	23.07	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.28%

Target Compounds					Ovalue
13) Acetone	4.12	43	15897	4.497 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW121919\
Data File : VW014456.D
Acq On : 19 Dec 2019 11:39
Operator : SY/VA
Sample : VW1219SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VBLK16

Manual Integrations
APPROVED

MMDadoda
12/20/2019 1:17:40 PM

Quant Time: Dec 20 01:20:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM120519S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 20 01:12:43 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.497 ug/L

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW014456.D

Acq: 19 Dec 2019 11:39

Instrument :

MSVOA_W

ClientSampleId :

VBLK16

Tot Ion: 43 Resp: 15897

Ion Ratio Lower Upper

43 100

58 32.8 0.0 65.4

Manual Integrations

APPROVED

MMDadoda

12/20/2019 1:17:40 PM

