




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121924\
Data File : VW031402.D
Acq On : 19 Dec 2024 23:20
Operator : SY/MD
Sample : P5333-04
Misc : 4.35g/10mL/MSVOA_W/SOIL/A
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E2907

Manual IntegrationsAPPROVED

Reviewed By :Romaben Patel 12/20/2024
Supervised By :Mahesh Dadoda 12/23/2024

Quant Time: Dec 20 03:10:24 2024
Quant Title :
QLast Update : Fri Dec 20 03:08:41 2024
Response via : Initial Calibration



TIC: VW031402.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.435min (+ 0.128) 0.01 ug/L

response 168

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	54.50	60.71
51.00	108.10	83.33
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw121924\
 Data File : VW031402.D
 Acq On : 19 Dec 2024 23:20
 Operator : SY/MD
 Sample : P5333-04
 Misc : 4.35g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E2907

Manual IntegrationsAPPROVED

Reviewed By :Romaben Patel 12/20/2024
 Supervised By :Mahesh Dadoda 12/23/2024

Quant Time: Dec 20 04:55:53 2024
 Quant Title :
 QLast Update : Fri Dec 20 03:08:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	920862	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	533677	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	121173	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	241395	17.422	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	69.680%	
7) Chloroethane-d5	2.893	69	189420	18.481	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	73.920%	
11) 1,1-Dichloroethene-d2	4.015	65	101725	15.478	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	61.920%	
21) 2-Butanone-d5	7.106	46	43747	16.766	ug/L	0.01
Spiked Amount 50.000	Range 20	- 135	Recovery	=	33.540%	
24) Chloroform-d	7.648	84	386895	15.334	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	61.320%	
26) 1,2-Dichloroethane-d4	8.301	65	200202m	15.800	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	63.200%#	
32) Benzene-d6	8.270	84	732430	21.413	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	85.640%	
36) 1,2-Dichloropropane-d6	9.270	67	226523	22.723	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	90.880%	
41) Toluene-d8	10.319	98	559720	17.589	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	70.360%	
43) trans-1,3-Dichloroprop...	10.575	79	48173	10.480	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	41.920%	
47) 2-Hexanone-d5	10.922	63	30489	22.742	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	45.480%	
56) 1,1,2,2-Tetrachloroeth...	12.684	84	111770	17.857	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	71.440%	
66) 1,2-Dichlorobenzene-d4	13.849	152	67583	15.024	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	60.080%#	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121924\
Data File : VW031402.D
Acq On : 19 Dec 2024 23:20
Operator : SY/MD
Sample : P5333-04
Misc : 4.35g/10mL/MSVOA_W/SOIL/A
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E2907

Manual IntegrationsAPPROVED

Quant Time: Dec 20 04:55:53 2024
Quant Title :
QLast Update : Fri Dec 20 03:08:41 2024
Response via : Initial Calibration

Reviewed By :Romaben Patel 12/20/2024
Supervised By :Mahesh Dadoda 12/23/2024

