

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121924\
 Data File : VW031395.D
 Acq On : 19 Dec 2024 19:44
 Operator : SY/MD
 Sample : VW1219SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK412

Quant Time: Dec 20 03:09:32 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 20 03:08:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	594219	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	534873	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.555	152	260175	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	182865	20.453	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.800%
7) Chloroethane-d5	2.899	69	150979	22.828	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.320%
11) 1,1-Dichloroethene-d2	4.021	65	82794	19.522	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.080%
21) 2-Butanone-d5	7.099	46	89998	53.451	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.900%
24) Chloroform-d	7.648	84	364714	22.401	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.600%
26) 1,2-Dichloroethane-d4	8.306	65	208142	25.456	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.840%
32) Benzene-d6	8.270	84	736051	21.470	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.880%
36) 1,2-Dichloropropane-d6	9.270	67	218944	21.913	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.640%
41) Toluene-d8	10.318	98	676783	21.221	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.880%
43) trans-1,3-Dichloroprop...	10.574	79	91866	19.941	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.760%
47) 2-Hexanone-d5	10.922	63	68978	51.336	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.680%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	168216	26.815	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	107.240%
66) 1,2-Dichlorobenzene-d4	13.848	152	227102	23.513	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.040%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW121924\
Data File : VW031395.D
Acq On : 19 Dec 2024 19:44
Operator : SY/MD
Sample : VW1219SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK412

Quant Time: Dec 20 03:09:32 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM121324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 20 03:08:41 2024
Response via : Initial Calibration

