

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW122018\
 Data File : VW007683.D
 Acq On : 19 Dec 2018 04:06
 Operator : SY/AP
 Sample : J6386-06
 Misc : 5.69G/5ML/MSVOA_W/SOIL
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 P001-SS005-0612-01

Quant Time: Dec 19 06:35:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 11 02:58:16 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	42734	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	75814	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	57599	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	18928	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	31092	65.58	ug/l	0.00
Spiked Amount 50.000			Recovery	=	131.16%	
35) Dibromofluoromethane	7.88	113	27597	60.13	ug/l	0.00
Spiked Amount 50.000			Recovery	=	120.26%	
50) Toluene-d8	10.32	98	76541	44.48	ug/l	0.00
Spiked Amount 50.000			Recovery	=	88.96%	
62) 4-Bromofluorobenzene	12.62	95	20797	32.87	ug/l	0.00
Spiked Amount 50.000			Recovery	=	65.74%	
Target Compounds						
20) Methylene Chloride	4.92	84	3463	4.046	ug/l	Qvalue 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW122018\
Data File : VW007683.D
Acq On : 19 Dec 2018 04:06
Operator : SY/AP
Sample : J6386-06
Misc : 5.69G/5ML/MSVOA_W/SOIL
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
P001-SS005-0612-01

Quant Time: Dec 19 06:35:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W121118S.M
Quant Title : SW846 8260
QLast Update : Tue Dec 11 02:58:16 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.00 min

Lab File: VW007683.D

Acq: 19 Dec 2018 04:06

Instrument :

MSVOA_W

ClientSampleId :


P001-SS005-0612-01

Tgt Ion:168 Resp: 42734

Ion Ratio Lower Upper




168 100

99 62.6 48.3 72.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#20

Methylene Chloride

Concen: 4.046 ug/l

RT: 4.92 min Scan# 494

Delta R.T. 0.01 min

Lab File: VW007683.D

Acq: 19 Dec 2018 04:06

Tgt Ion: 84 Resp: 3463


Ion Ratio Lower Upper

84 100

49 98.0 87.1 130.7

51 28.6 28.2 42.2

86 60.4 50.8 76.2






Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW









#33
 1,2-Dichloroethane-d4
 Concen: 65.581 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. 0.00 min
 Lab File: VW007683.D
 Acq: 19 Dec 2018 04:06




Instrument :
 MSVOA_W
 ClientSampleId :
 P001-SS005-0612-01


Tgt Ion: 65 Resp: 31092
 Ion Ratio Lower Upper
 65 100
 67 50.0 0.0 101.6



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW007683.D
 Acq: 19 Dec 2018 04:06

Tgt Ion: 114 Resp: 75814
 Ion Ratio Lower Upper
 114 100
 63 19.3 0.0 39.6
 88 16.6 0.0 31.4









#35
 Dibromofluoromethane
 Concen: 60.133 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.00 min
 Lab File: VW007683.D
 Acq: 19 Dec 2018 04:06

Instrument :
 MSVOA_W
 ClientSampleId :
 P001-SS005-0612-01

Tgt Ion:113 Resp: 27597
 Ion Ratio Lower Upper
 113 100
 111 104.5 81.1 121.7
 192 18.7 14.6 21.8




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#50
 Toluene-d8
 Concen: 44.481 ug/l
 RT: 10.32 min Scan# 1381
 Delta R.T. 0.00 min
 Lab File: VW007683.D
 Acq: 19 Dec 2018 04:06

Tgt Ion: 98 Resp: 76541
 Ion Ratio Lower Upper
 98 100
 100 64.8 51.8 77.8



Abundance Ion 98.00 (97.70 to 98.70): VW
 Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 32.872 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. 0.00 min
Lab File: VW007683.D
Acq: 19 Dec 2018 04:06




Instrument :
MSVOA_W
ClientSampleId :
P001-SS005-0612-01


Tgt Ion: 95 Resp: 20797
Ion Ratio Lower Upper
95 100
174 77.0 0.0 147.2
176 73.8 0.0 138.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW007683.D
Acq: 19 Dec 2018 04:06

Tgt Ion: 117 Resp: 57599
Ion Ratio Lower Upper
117 100
82 53.6 42.3 63.5
119 32.6 23.0 34.6






#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 13.56 min Scan# 1912
 Delta R.T. 0.00 min
 Lab File: VW007683.D
 Acq: 19 Dec 2018 04:06

Instrument :
 MSVOA_W
 ClientSampleId :
 P001-SS005-0612-01

Tgt Ion:152 Resp: 18928
 Ion Ratio Lower Upper
 152 100
 115 60.0 31.4 94.2
 150 159.1 0.0 358.4



Abundance Ion 151.90 (151.60 to 152.60): V
 Ion 114.90 (114.60 to 115.60): V
 Ion 149.90 (149.60 to 150.60): V

