

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122318\
 Data File : VW007803.D
 Acq On : 21 Dec 2018 18:57
 Operator : SY/AP
 Sample : J6392-03RE
 Misc : 5.07G/5ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 KY001SB102-121118-(13-15)RE

Quant Time: Dec 22 02:46:52 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W122118S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 20 06:30:23 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	60556	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	90857	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	59715	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	19165	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	38177	57.52	ug/l	0.00
Spiked Amount 50.000			Recovery	=	115.04%	
35) Dibromofluoromethane	7.88	113	31467	56.77	ug/l	0.00
Spiked Amount 50.000			Recovery	=	113.54%	
50) Toluene-d8	10.32	98	93513	44.75	ug/l	0.00
Spiked Amount 50.000			Recovery	=	89.50%	
62) 4-Bromofluorobenzene	12.62	95	24227	30.01	ug/l	0.00
Spiked Amount 50.000			Recovery	=	60.02%	
Target Compounds						
16) Acetone	4.12	43	7140	57.447	ug/l	97
68) m/p-Xylenes	11.83	106	1205	1.401	ug/l	91
84) 1,2,4-Trimethylbenzene	13.26	105	1523	1.208	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122318\
Data File : VW007803.D
Acq On : 21 Dec 2018 18:57
Operator : SY/AP
Sample : J6392-03RE
Misc : 5.07G/5ML/MSVOA W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
KY001SB102-121118-(13-15)RE

Quant Time: Dec 22 02:46:52 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W122118S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 20 06:30:23 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW007803.D

Acq: 21 Dec 2018 18:57

Instrument :

MSVOA_W

ClientSampleId :


KY001SB102-121118-(13-15)RE

Tot Ion:168 Resp: 60556

Ion Ratio Lower Upper




168 100

99 63.7 54.0 81.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#16

Acetone

Concen: 57.447 ug/l

RT: 4.12 min Scan# 364

Delta R.T. 0.01 min

Lab File: VW007803.D


Acq: 21 Dec 2018 18:57

Tgt Ion: 43 Resp: 7140

Ion Ratio Lower Upper



43 100


58 24.9 21.2 31.8



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW









#33
 1,2-Dichloroethane-d4
 Concen: 57.520 ug/l
 RT: 8.30 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: VW007803.D
 Acq: 21 Dec 2018 18:57




Instrument :
 MSVOA_W
 ClientSampleId :
 KY001SB102-121118-(13-15)RE


Tot Ion: 65 Resp: 38177
 Ion Ratio Lower Upper
 65 100
 67 50.1 0.0 100.6



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW007803.D
 Acq: 21 Dec 2018 18:57

Tgt Ion: 114 Resp: 90857
 Ion Ratio Lower Upper
 114 100
 63 20.2 0.0 40.0
 88 16.5 0.0 32.6









#35
 Dibromofluoromethane
 Concen: 56.772 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. -0.00 min
 Lab File: VW007803.D
 Acq: 21 Dec 2018 18:57




Instrument :
 MSVOA_W
 ClientSampleId :
 KY001SB102-121118-(13-15)RE


Tot Ion	Ratio	Lower	Upper
113	100		
111	102.2	82.6	124.0
192	18.4	15.5	23.3



#50
 Toluene-d8
 Concen: 44.753 ug/l
 RT: 10.32 min Scan# 1381
 Delta R.T. -0.00 min
 Lab File: VW007803.D
 Acq: 21 Dec 2018 18:57

Tgt Ion	Ratio	Lower	Upper
98	100		
100	65.9	52.2	78.2





#62

4-Bromofluorobenzene

Concen: 30.012 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.00 min

Lab File: VW007803.D

Acq: 21 Dec 2018 18:57

Instrument :

MSVOA_W

ClientSampleId :

KY001SB102-121118-(13-15)RE


Tot Ion: 95 Resp: 24227

Ion Ratio Lower Upper

95 100

174 74.6 0.0 152.2




176 71.9 0.0 146.8



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1596

Delta R.T. -0.00 min

Lab File: VW007803.D

Acq: 21 Dec 2018 18:57


Tgt Ion: 117 Resp: 59715

Ion Ratio Lower Upper

117 100

82 56.9 44.3 66.5



119 31.8 25.7 38.5




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): VW









#68
m/p-Xvlenes
Concen: 1.401 ug/l
RT: 11.83 min Scan# 1629
Delta R.T. -0.01 min
Lab File: VW007803.D
Acq: 21 Dec 2018 18:57

Instrument :
MSVOA_W
ClientSampleId :
KY001SB102-121118-(13-15)RE

Tot Ion:106 Resp: 1205
Ion Ratio Lower Upper
106 100
91 192.8 165.2 247.8




Abundance Ion 106.00 (105.70 to 106.70): V
Ion 91.00 (90.70 to 91.70): VW






#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW007803.D
Acq: 21 Dec 2018 18:57

Tgt Ion:152 Resp: 19165
Ion Ratio Lower Upper
152 100
115 61.8 31.8 95.4
150 152.7 0.0 350.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#84

1,2,4-Trimethylbenzene

Concen: 1.208 ug/l

RT: 13.26 min Scan# 1862

Delta R.T. -0.00 min

Lab File: VW007803.D

Acq: 21 Dec 2018 18:57

Instrument :

MSVOA_W

ClientSampleId :

KY001SB102-121118-(13-15)RE

Tot Ion:105 Resp: 1523

Ion Ratio Lower Upper

105 100

120 40.4 22.0 66.0

