

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122322\
 Data File : VW025188.D
 Acq On : 23 Dec 2022 11:40
 Operator : SY/MD
 Sample : N6193-09
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGSM6

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 12/27/2022
 Supervised By :Mahesh Dadoda 12/27/2022

Quant Time: Dec 23 22:00:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 23 21:59:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	851710	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	737131	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	351532	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	130567	13.299	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	53.200%		
7) Chloroethane-d5	2.879	69	93845	14.803	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	59.200%		
11) 1,1-Dichloroethene-d2	4.013	63	275568	12.811	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	51.240%		
21) 2-Butanone-d5	7.074	46	118360	48.019	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	96.040%		
24) Chloroform-d	7.647	84	424275	19.298	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	77.200%		
26) 1,2-Dichloroethane-d4	8.305	65	221050m	19.827	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	79.320%		
32) Benzene-d6	8.275	84	890858	20.608	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.440%		
36) 1,2-Dichloropropane-d6	9.275	67	269580	21.432	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	85.720%		
41) Toluene-d8	10.323	98	790429	20.167	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	80.680%		
43) trans-1,3-Dichloroprop...	10.579	79	108375	20.397	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.600%		
47) 2-Hexanone-d5	10.921	63	96816	52.462	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	104.920%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	209433	22.548	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	90.200%		
66) 1,2-Dichlorobenzene-d4	13.853	152	261481	21.945	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	87.800%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122322\
Data File : VW025188.D
Acq On : 23 Dec 2022 11:40
Operator : SY/MD
Sample : N6193-09
Misc : 5.02g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGSM6

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 12/27/2022
Supervised By :Mahesh Dadoda 12/27/2022

Quant Time: Dec 23 22:00:34 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 23 21:59:05 2022
Response via : Initial Calibration

