

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122322\
 Data File : VW025200.D
 Acq On : 23 Dec 2022 16:30
 Operator : SY/MD
 Sample : VIBLK598
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK598

Quant Time: Dec 23 22:03:35 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Dec 23 21:59:05 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	689881	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	604286	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	289046	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	150042	18.867	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	75.480%		
7) Chloroethane-d5	2.879	69	110836	21.584	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.320%		
11) 1,1-Dichloroethene-d2	4.013	63	270510	15.526	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	62.120%		
21) 2-Butanone-d5	7.074	46	97506	48.837	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.680%		
24) Chloroform-d	7.647	84	383136	21.515	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.080%		
26) 1,2-Dichloroethane-d4	8.305	65	197561	21.877	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	87.520%		
32) Benzene-d6	8.275	84	854312	24.107	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	96.440%		
36) 1,2-Dichloropropane-d6	9.275	67	251272	24.368	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	97.480%		
41) Toluene-d8	10.323	98	750846	23.368	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	93.480%		
43) trans-1,3-Dichloroprop...	10.579	79	88729	20.370	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.480%		
47) 2-Hexanone-d5	10.921	63	75115	49.651	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.300%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	184418	24.219	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	96.880%		
66) 1,2-Dichlorobenzene-d4	13.847	152	234517	23.937	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	95.760%		
Target Compounds						Qvalue
16) Methylene chloride	4.922	84	43498	4.034	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW122322\
Data File : VW025200.D
Acq On : 23 Dec 2022 16:30
Operator : SY/MD
Sample : VIBLK598
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK598

Quant Time: Dec 23 22:03:35 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM120822SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Dec 23 21:59:05 2022
Response via : Initial Calibration

