

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122420\
 Data File : VW017742.D
 Acq On : 24 Dec 2020 17:35
 Operator : SY/VA
 Sample : VIBLK21
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK21

Quant Time: Dec 25 08:14:33 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 25 07:46:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	363744	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	329179	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	158079	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	125471	22.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.16%
7) Chloroethane-d5	2.89	69	105576	22.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.92%
10) 1,1-Dichloroethene-d2	4.02	63	167516	17.08	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.32%
20) 2-Butanone-d5	7.08	46	51595	56.56	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.12%
24) Chloroform-d	7.65	84	218627	23.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	8.31	65	125466	25.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.00%
29) Benzene-d6	8.27	84	431914	23.29	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.16%
33) 1,2-Dichloropropane-d6	9.27	67	121827	23.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.32%
37) Toluene-d8	10.32	98	413950	23.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.96%
38) trans-1,3-Dichloropropene-	10.58	79	53932	23.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.68%
39) 2-Hexanone-d5	10.93	63	37160	57.89	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	99032	26.10	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	138593	25.18	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.72%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6723	1.292 ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122420\
Data File : VW017742.D
Acq On : 24 Dec 2020 17:35
Operator : SY/VA
Sample : VIBLK21
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK21

Quant Time: Dec 25 08:14:33 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 25 07:46:43 2020
Response via : Initial Calibration

