

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122420\
 Data File : VW017733.D
 Acq On : 24 Dec 2020 14:03
 Operator : SY/VA
 Sample : VW1224SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK17

Quant Time: Dec 25 07:56:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 25 07:46:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	373051	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	330146	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	162387	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	136301	23.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.44%
7) Chloroethane-d5	2.89	69	114219	23.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.92%
10) 1,1-Dichloroethene-d2	4.02	63	188185	18.71	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.84%
20) 2-Butanone-d5	7.08	46	49654	53.08	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.16%
24) Chloroform-d	7.65	84	241800	24.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.20%
26) 1,2-Dichloroethane-d4	8.31	65	135506	26.86	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.44%
29) Benzene-d6	8.27	84	487379	26.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.84%
33) 1,2-Dichloropropane-d6	9.27	67	138075	26.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	107.72%
37) Toluene-d8	10.32	98	465008	26.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	104.12%
38) trans-1,3-Dichloropropene-	10.58	79	58884	25.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	103.08%
39) 2-Hexanone-d5	10.93	63	34063	52.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.82%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	97642	25.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	148491	26.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.04%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	7950	1.490 ug/L	79




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122420\
Data File : VW017733.D
Acq On : 24 Dec 2020 14:03
Operator : SY/VA
Sample : VW1224SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK17

Quant Time: Dec 25 07:56:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 25 07:46:43 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.490 ug/L
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW017733.D
Acq: 24 Dec 2020 14:03

Instrument :
MSVOA_W
ClientSampleId :
VBLK17

Tot Ion: 84 Resp: 7950
Ion Ratio Lower Upper
84 100
49 100.0 90.5 168.1
86 55.1 44.8 83.2

