

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122420\
 Data File : VW017740.D
 Acq On : 24 Dec 2020 16:48
 Operator : SY/VA
 Sample : VIBLK20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Quant Time: Dec 25 08:09:32 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 25 07:46:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	344487	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	309549	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	152912	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	119253	22.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.48%
7) Chloroethane-d5	2.89	69	102821	23.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.48%
10) 1,1-Dichloroethene-d2	4.02	63	157264	16.93	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.72%
20) 2-Butanone-d5	7.07	46	47110	54.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.06%
24) Chloroform-d	7.65	84	209616	23.28	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.12%
26) 1,2-Dichloroethane-d4	8.31	65	118363	25.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.60%
29) Benzene-d6	8.27	84	423100	24.26	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.04%
33) 1,2-Dichloropropane-d6	9.27	67	120246	25.02	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.08%
37) Toluene-d8	10.32	98	395998	23.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.60%
38) trans-1,3-Dichloropropene-	10.58	79	50913	23.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.04%
39) 2-Hexanone-d5	10.93	63	32877	54.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	90447	25.35	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.40%
61) 1,2-Dichlorobenzene-d4	13.85	152	130208	24.45	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.80%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6935	1.408 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122420\
Data File : VW017740.D
Acq On : 24 Dec 2020 16:48
Operator : SY/VA
Sample : VIBLK20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK20

Quant Time: Dec 25 08:09:32 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 25 07:46:43 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.408 ug/L

RT: 4.92 min Scan# 494

Delta R.T. -0.01 min

Lab File: VW017740.D

Acq: 24 Dec 2020 16:48

Instrument :

MSVOA_W

ClientSampleId :

VIBLK20

Tot Ion: 84 Resp: 6935

Ion Ratio Lower Upper

84 100

49 110.7 90.5 168.1

86 61.9 44.8 83.2

