

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122420\
 Data File : VW017751.D
 Acq On : 24 Dec 2020 21:30
 Operator : SY/VA
 Sample : VIBLK27
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK27

Quant Time: Dec 25 08:31:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 25 07:46:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	326490	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	294502	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	145953	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	118384	23.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.72%
7) Chloroethane-d5	2.89	69	103853	24.91	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.64%
10) 1,1-Dichloroethene-d2	4.03	63	157332	17.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.52%
20) 2-Butanone-d5	7.07	46	52251	63.82	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	127.64%
24) Chloroform-d	7.65	84	213531	25.03	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.12%
26) 1,2-Dichloroethane-d4	8.31	65	124396	28.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	112.68%
29) Benzene-d6	8.27	84	428346	25.82	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	103.28%
33) 1,2-Dichloropropane-d6	9.27	67	123133	26.93	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	107.72%
37) Toluene-d8	10.32	98	398634	25.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.08%
38) trans-1,3-Dichloropropene-	10.58	79	51782	25.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	101.60%
39) 2-Hexanone-d5	10.93	63	35940	62.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	125.18%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	98367	28.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	115.92%
61) 1,2-Dichlorobenzene-d4	13.85	152	134209	26.41	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.64%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	8156	1.747 ug/L	81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122420\
Data File : VW017751.D
Acq On : 24 Dec 2020 21:30
Operator : SY/VA
Sample : VIBLK27
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK27

Quant Time: Dec 25 08:31:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 25 07:46:43 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.747 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.00 min
Lab File: VW017751.D
Acq: 24 Dec 2020 21:30

Instrument :
MSVOA_W
ClientSampleId :
VIBLK27

Tot Ion: 84 Resp: 8156

Ion	Ratio	Lower	Upper
84	100		
49	108.1	90.5	168.1
86	47.7	44.8	83.2

