

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122718\
 Data File : VW007924.D
 Acq On : 26 Dec 2018 15:48
 Operator : SY/AP
 Sample : J6419-05
 Misc : 5.01G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Dec 27 01:14:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 27 00:43:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	104578	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	95870	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	46659	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	22681	22.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.04%
7) Chloroethane-d5	2.89	69	16029	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.32%
10) 1,1-Dichloroethene-d2	4.01	63	46975	16.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.36%
20) 2-Butanone-d5	7.08	46	17287	39.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.66%
24) Chloroform-d	7.65	84	59625	21.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	8.31	65	36814	22.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.28%
29) Benzene-d6	8.27	84	118466	22.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.12%
33) 1,2-Dichloropropane-d6	9.27	67	31792	21.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.96%
37) Toluene-d8	10.32	98	114253	21.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.24%
38) trans-1,3-Dichloropropene-	10.58	79	17879	21.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.16%
39) 2-Hexanone-d5	10.93	63	13998	37.42	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.84%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	28484	20.24	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.96%
61) 1,2-Dichlorobenzene-d4	13.86	152	41522	22.03	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.12%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	5685	3.360 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122718\
Data File : VW007924.D
Acq On : 26 Dec 2018 15:48
Operator : SY/AP
Sample : J6419-05
Misc : 5.01G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Dec 27 01:14:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration

