


Data File : VW007927.D
Acq On : 26 Dec 2018 17:06
Operator : SY/AP
Sample : J6468-18
Misc : 5.82G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
C0JH4

Quant Time: Dec 27 01:48:10 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
12/27/2018 4:49:10 PM



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW122718\
Quantitation Report (Qedit)




Data File : VW007927.D
Acq On : 26 Dec 2018 17:06
Operator : SY/AP
Sample : J6468-18
Misc : 5.82G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0JH4

Quant Time: Dec 27 00:47:46 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

MMDadoda
12/27/2018 4:49:10 PM



(13) Acetone (T)

4.111min (-0.006) 9.26ug/L

response 3744

Ion	Exp%	Act%
43.00	100	100
58.00	29.30	65.33#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW122718\
Quantitation Report (Qedit)




Data File : VW007927.D
Acq On : 26 Dec 2018 17:06
Operator : SY/AP
Sample : J6468-18
Misc : 5.82G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Dec 27 00:47:46 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration

Instrument :
MSVOA_W
ClientSampled :
C0JH4

Manual Integrations
APPROVED

MMDadoda
12/27/2018 4:49:10 PM



(13) Acetone (T)

4.123min (+0.006) 20.48ug/L m

response 8281

Ion	Exp%	Act%
43.00	100	100
58.00	29.30	29.54
0.00	0.00	0.00
0.00	0.00	0.00

SY
12/28/18

Data File : VW007927.D
Acq On : 26 Dec 2018 17:06
Operator : SY/AP
Sample : J6468-18
Misc : 5.82G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Dec 27 01:48:10 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration

Instrument :
MSVOA_W
Client Sampled :
C0JH4

Manual Integrations
APPROVED

MMDadoda
12/27/2018 4:49:10 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	98478	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	80887	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	31616	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	22115	22.79	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	91.16%	
7) Chloroethane-d5	2.89	69	14894	22.78	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	91.12%	
10) 1,1-Dichloroethene-d2	4.01	63	45460	17.30	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	69.20%	
20) 2-Butanone-d5	7.07	46	17685	42.73	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	85.46%	
24) Chloroform-d	7.65	84	57995	22.14	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	88.56%	
26) 1,2-Dichloroethane-d4	8.31	65	35635	22.69	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	90.76%	
29) Benzene-d6	8.27	84	114791	25.30	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	101.20%	
33) 1,2-Dichloropropane-d6	9.27	67	31571	25.58	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	102.32%	
37) Toluene-d8	10.32	98	106412	24.08	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	96.32%	
38) trans-1,3-Dichloropropene-	10.58	79	14673	20.71	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	82.84%	
39) 2-Hexanone-d5	10.93	63	14231	45.09	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	90.18%	
48) 1,1,2,2-Tetrachloroethane-	12.69	84	26844	22.60	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	90.40%	
61) 1,2-Dichlorobenzene-d4	13.86	152	29929	23.44	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	93.76%	

Target Compounds

					Qvalue
5) Vinyl chloride	2.36	62	1032	0.970 ug/L	# 19
13) Acetone	4.12	43	8281m	20.478 ug/L	
21) 2-Butanone	7.18	43	2689	5.844 ug/L	76

(#) = qualifier out of range (m) = manual integration (+) = signals summed

54
12/28/18