

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122718\
 Data File : VW007937.D
 Acq On : 26 Dec 2018 21:51
 Operator : SY/AP
 Sample : J6489-10
 Misc : 5.10G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Dec 27 03:02:00 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 27 00:43:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	97292	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	89409	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	43375	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	22245	23.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.80%
7) Chloroethane-d5	2.89	69	14779	22.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.52%
10) 1,1-Dichloroethene-d2	4.01	63	44317	17.07	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.28%
20) 2-Butanone-d5	7.08	46	18673	45.67	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.34%
24) Chloroform-d	7.65	84	57237	22.11	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.44%
26) 1,2-Dichloroethane-d4	8.31	65	36299	23.39	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.56%
29) Benzene-d6	8.27	84	110549	22.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.20%
33) 1,2-Dichloropropane-d6	9.27	67	30721	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.08%
37) Toluene-d8	10.32	98	107658	22.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.16%
38) trans-1,3-Dichloropropene-	10.58	79	16730	21.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.44%
39) 2-Hexanone-d5	10.93	63	15178	43.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.02%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	28856	21.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	39754	22.69	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.76%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	7638	4.852 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122718\
Data File : VW007937.D
Acq On : 26 Dec 2018 21:51
Operator : SY/AP
Sample : J6489-10
Misc : 5.10G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Dec 27 03:02:00 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 27 00:43:27 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 4.852 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW007937.D
 Acq: 26 Dec 2018 21:51

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 7638
 Ion Ratio Lower Upper
 84 100
 49 102.5 79.2 147.0
 86 62.8 43.2 80.2

