

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122718\
 Data File : VW007958.D
 Acq On : 27 Dec 2018 09:24
 Operator : SY/AP
 Sample : VW1227SBL03
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK90

Quant Time: Dec 28 04:09:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 28 04:01:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	90952	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	82873	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	40288	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	19454	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.80%
7) Chloroethane-d5	2.89	69	13096	21.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.76%
10) 1,1-Dichloroethene-d2	4.01	63	38611	15.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.64%
20) 2-Butanone-d5	7.08	46	15374	40.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.44%
24) Chloroform-d	7.64	84	49746	20.56	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.24%
26) 1,2-Dichloroethane-d4	8.30	65	31208	21.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	86.04%
29) Benzene-d6	8.27	84	97123	20.90	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.60%
33) 1,2-Dichloropropane-d6	9.27	67	26677	21.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.40%
37) Toluene-d8	10.32	98	92923	20.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.08%
38) trans-1,3-Dichloropropene-	10.58	79	14239	19.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.48%
39) 2-Hexanone-d5	10.93	63	12319	38.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	24900	20.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	33986	20.89	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.56%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	4878	3.315 ug/L	93




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122718\
Data File : VW007958.D
Acq On : 27 Dec 2018 09:24
Operator : SY/AP
Sample : VW1227SBL03
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK90

Quant Time: Dec 28 04:09:36 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 28 04:01:03 2018
Response via : Initial Calibration





#16

Methylene chloride

Concen: 3.315 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.00 min

Lab File: VW007958.D

Acq: 27 Dec 2018 09:24

Instrument :

MSVOA_W

ClientSampleId :

VBLK90

Tot Ion: 84 Resp: 4878

Ion Ratio Lower Upper

84 100

49 115.2 79.2 147.0

86 49.6 43.2 80.2

