

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122718\
 Data File : VW007965.D
 Acq On : 27 Dec 2018 13:15
 Operator : SY/AP
 Sample : VIBLK90
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK90

Quant Time: Dec 28 04:54:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 28 04:01:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	90684	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	81793	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	40148	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	18515	20.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.88%
7) Chloroethane-d5	2.90	69	13201	21.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.68%
10) 1,1-Dichloroethene-d2	4.01	63	39326	16.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.00%
20) 2-Butanone-d5	7.08	46	17169	45.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.10%
24) Chloroform-d	7.65	84	50165	20.79	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.16%
26) 1,2-Dichloroethane-d4	8.31	65	32173	22.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	88.96%
29) Benzene-d6	8.27	84	99596	21.71	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.84%
33) 1,2-Dichloropropane-d6	9.27	67	26866	21.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.12%
37) Toluene-d8	10.32	98	96339	21.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.24%
38) trans-1,3-Dichloropropene-	10.58	79	15072	21.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.16%
39) 2-Hexanone-d5	10.93	63	14159	44.36	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.72%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	26615	22.16	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.64%
61) 1,2-Dichlorobenzene-d4	13.86	152	35186	21.70	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.80%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	4564	3.110 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122718\
Data File : VW007965.D
Acq On : 27 Dec 2018 13:15
Operator : SY/AP
Sample : VIBLK90
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK90

Quant Time: Dec 28 04:54:23 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 28 04:01:03 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.110 ug/L
 RT: 4.91 min Scan# 493
 Delta R.T. 0.00 min
 Lab File: VW007965.D
 Acq: 27 Dec 2018 13:15

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK90

Tot Ion: 84 Resp: 4564
 Ion Ratio Lower Upper
 84 100
 49 128.7 79.2 147.0
 86 62.6 43.2 80.2

