

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW122718\
 Data File : VW007974.D
 Acq On : 27 Dec 2018 17:25
 Operator : SY/AP
 Sample : J6441-06
 Misc : 5.04G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Dec 28 06:09:17 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Dec 28 05:56:01 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	95608	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	86200	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	41153	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	24293	25.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.12%
7) Chloroethane-d5	2.90	69	16827	26.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.04%
10) 1,1-Dichloroethene-d2	4.01	63	46209	18.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.48%
20) 2-Butanone-d5	7.08	46	18981	47.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.48%
24) Chloroform-d	7.65	84	59982	23.58	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	94.32%
26) 1,2-Dichloroethane-d4	8.31	65	37845	24.82	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.28%
29) Benzene-d6	8.27	84	117431	24.29	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.16%
33) 1,2-Dichloropropane-d6	9.27	67	31938	24.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.16%
37) Toluene-d8	10.32	98	111312	23.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.52%
38) trans-1,3-Dichloropropene-	10.58	79	17687	23.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.72%
39) 2-Hexanone-d5	10.93	63	15291	45.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.92%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	29818	23.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.24%
61) 1,2-Dichlorobenzene-d4	13.86	152	41504	24.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.88%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	7095	4.586 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW122718\
Data File : VW007974.D
Acq On : 27 Dec 2018 17:25
Operator : SY/AP
Sample : J6441-06
Misc : 5.04G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Dec 28 06:09:17 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122618S.M
Quant Title : VOC Analysis
QLast Update : Fri Dec 28 05:56:01 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 4.586 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.01 min
 Lab File: VW007974.D
 Acq: 27 Dec 2018 17:25

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Tot Ion:	84	Resp:	7095
Ion	Ratio	Lower	Upper
84	100		
49	97.1	79.2	147.0
86	59.2	43.2	80.2

