

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
 Data File : VW017828.D
 Acq On : 12 Jan 2021 11:24
 Operator : SY/VA
 Sample : VW0112SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK21

Quant Time: Jan 13 03:26:58 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 08 21:58:14 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	287201	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	270181	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	122455	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	112114	25.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.92%
7) Chloroethane-d5	2.89	69	92587	25.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.00%
10) 1,1-Dichloroethene-d2	4.02	63	150610	19.45	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.80%
20) 2-Butanone-d5	7.08	46	37227	51.69	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.38%
24) Chloroform-d	7.65	84	185952	24.78	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.12%
26) 1,2-Dichloroethane-d4	8.31	65	106011	27.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.16%
29) Benzene-d6	8.27	84	370928	24.37	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.48%
33) 1,2-Dichloropropane-d6	9.27	67	105083	25.05	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.20%
37) Toluene-d8	10.32	98	345274	23.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.48%
38) trans-1,3-Dichloropropene-	10.58	79	43390	23.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.80%
39) 2-Hexanone-d5	10.93	63	25656	48.70	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.40%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	73357	23.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.20%
61) 1,2-Dichlorobenzene-d4	13.85	152	102769	24.10	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.40%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	7138	1.738 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
Data File : VW017828.D
Acq On : 12 Jan 2021 11:24
Operator : SY/VA
Sample : VW0112SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK21

Quant Time: Jan 13 03:26:58 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 08 21:58:14 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.738 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW017828.D
Acq: 12 Jan 2021 11:24

Instrument :
MSVOA_W
ClientSampleId :
VBLK21

Tot Ion: 84 Resp: 7138

Ion	Ratio	Lower	Upper
84	100		
49	141.1	90.5	168.1
86	55.3	44.8	83.2

