

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
 Data File : VW017831.D
 Acq On : 12 Jan 2021 13:31
 Operator : SY/VA
 Sample : M1074-15
 Misc : 3.35G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFT53

Manual Integrations
 APPROVED

MMDadoda
 1/13/2021 4:36:16 PM

Quant Time: Jan 13 03:43:18 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 08 21:58:14 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	337435	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	306105	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.55	152	141274	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	117741	22.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.20%
7) Chloroethane-d5	2.89	69	94851	22.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.04%
10) 1,1-Dichloroethene-d2	4.02	63	156595m	17.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.88%
20) 2-Butanone-d5	7.09	46	36152	42.72	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.44%
24) Chloroform-d	7.65	84	188391	21.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.44%
26) 1,2-Dichloroethane-d4	8.31	65	107256	23.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.00%
29) Benzene-d6	8.27	84	381551	22.13	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.52%
33) 1,2-Dichloropropane-d6	9.27	67	105379	22.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.68%
37) Toluene-d8	10.32	98	362099	21.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.48%
38) trans-1,3-Dichloropropene-	10.58	79	43537	20.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.20%
39) 2-Hexanone-d5	10.93	63	25509	42.74	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.48%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	72307	20.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.96%
61) 1,2-Dichlorobenzene-d4	13.85	152	104840	21.31	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.24%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	20902	4.332 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
Data File : VW017831.D
Acq On : 12 Jan 2021 13:31
Operator : SY/VA
Sample : M1074-15
Misc : 3.35G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BFT53

Manual Integrations
APPROVED

MMDadoda
1/13/2021 4:36:16 PM

Quant Time: Jan 13 03:43:18 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 08 21:58:14 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.332 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW017831.D
Acq: 12 Jan 2021 13:31

Instrument :
MSVOA_W
ClientSampleId :
BFT53

Tot Ion:	84	Resp:	20902
Ion Ratio	Lower	Upper	
84	100		
49	126.7	90.5	168.1
86	56.8	44.8	83.2

Manual Integrations
APPROVED

MMDadoda
1/13/2021 4:36:16 PM

