

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
 Data File : VW017833.D
 Acq On : 12 Jan 2021 14:18
 Operator : SY/VA
 Sample : M1074-17
 Misc : 3.52G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFT55

Quant Time: Jan 13 03:52:58 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jan 08 21:58:14 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	328756	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	296368	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	136789	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	132290	26.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.04%
7) Chloroethane-d5	2.89	69	106669	25.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.64%
10) 1,1-Dichloroethene-d2	4.02	63	174516	19.69	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.76%
20) 2-Butanone-d5	7.07	46	42860	51.99	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.98%
24) Chloroform-d	7.65	84	217476	25.31	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	101.24%
26) 1,2-Dichloroethane-d4	8.31	65	122895	27.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	110.56%
29) Benzene-d6	8.27	84	435569	26.09	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.36%
33) 1,2-Dichloropropane-d6	9.27	67	123040	26.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.96%
37) Toluene-d8	10.32	98	417835	26.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	104.24%
38) trans-1,3-Dichloropropene-	10.58	79	50117	24.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.72%
39) 2-Hexanone-d5	10.93	63	29501	51.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	85264	24.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	118076	24.79	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.16%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	23834	5.070 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW011221\
Data File : VW017833.D
Acq On : 12 Jan 2021 14:18
Operator : SY/VA
Sample : M1074-17
Misc : 3.52G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFT55

Quant Time: Jan 13 03:52:58 2021
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Fri Jan 08 21:58:14 2021
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 5.070 ug/L
 RT: 4.92 min Scan# 494
 Delta R.T. 0.00 min
 Lab File: VW017833.D
 Acq: 12 Jan 2021 14:18

Instrument :
 MSVOA_W
 ClientSampleId :
 BFT55

Tot Ion: 84 Resp: 23834
 Ion Ratio Lower Upper
 84 100
 49 131.9 90.5 168.1
 86 61.8 44.8 83.2

