

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW011421\
 Data File : VW017879.D
 Acq On : 14 Jan 2021 14:54
 Operator : SY/VA
 Sample : M1132-08
 Misc : 5.83G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 F1A07

Quant Time: Jan 14 23:47:36 2021
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 14 21:44:45 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	289496	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	245633	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	98391	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	123583	27.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.36%
7) Chloroethane-d5	2.89	69	103985	28.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.52%
10) 1,1-Dichloroethene-d2	4.02	63	155357	19.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	79.64%
20) 2-Butanone-d5	7.08	46	46557	64.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	128.26%
24) Chloroform-d	7.65	84	212835	28.13	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	112.52%
26) 1,2-Dichloroethane-d4	8.31	65	121565	31.05	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	124.20%
29) Benzene-d6	8.27	84	403059	29.13	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	116.52%
33) 1,2-Dichloropropane-d6	9.27	67	121016	31.73	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	126.92%#
37) Toluene-d8	10.32	98	354137	26.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	106.60%
38) trans-1,3-Dichloropropene-	10.58	79	42474	24.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	99.92%
39) 2-Hexanone-d5	10.93	63	31401	65.56	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	131.12%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	83847	29.61	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	118.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	89233	26.04	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.16%

Target Compounds

					Ovalue
13) Acetone	4.14	43	2731	4.356 ug/L	91
16) Methylene chloride	4.92	84	11902	2.875 ug/L	99
31) 1,1,1-Trichloroethane	7.87	97	1916	0.339 ug/L #	81
47) Tetrachloroethene	10.87	164	2356	0.775 ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW011421\
Data File : VW017879.D
Acq On : 14 Jan 2021 14:54
Operator : SY/VA
Sample : M1132-08
Misc : 5.83G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
F1A07

Quant Time: Jan 14 23:47:36 2021
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM122420S.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 14 21:44:45 2021
Response via : Initial Calibration

