

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032119\
 Data File : VW009319.D
 Acq On : 21 Mar 2019 11:23
 Operator : SY/VA
 Sample : VW0321SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK07

Manual Integrations
 APPROVED

MMDadoda
 3/23/2019 3:00:31 AM

Quant Time: Mar 22 09:47:34 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 09:38:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	431247	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	410723	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	193274	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	139111	26.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	107.96%
7) Chloroethane-d5	2.89	69	133349	22.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.44%
10) 1,1-Dichloroethene-d2	4.01	63	211373	18.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.92%
20) 2-Butanone-d5	7.07	46	100469	47.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.28%
24) Chloroform-d	7.64	84	289004	24.56	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.24%
26) 1,2-Dichloroethane-d4	8.30	65	180369m	25.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.76%
29) Benzene-d6	8.27	84	552130	24.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.52%
33) 1,2-Dichloropropane-d6	9.27	67	170572	25.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.28%
37) Toluene-d8	10.32	98	506906	24.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.80%
38) trans-1,3-Dichloropropene-	10.58	79	77788	22.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.08%
39) 2-Hexanone-d5	10.93	63	77132	46.81	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.62%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	160232	23.91	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	95.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	199358	26.90	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.60%

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032119\
Data File : VW009319.D
Acq On : 21 Mar 2019 11:23
Operator : SY/VA
Sample : VW0321SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK07

Manual Integrations
APPROVED

MMDadoda
3/23/2019 3:00:31 AM

Quant Time: Mar 22 09:47:34 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 09:38:27 2019
Response via : Initial Calibration

