

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032119\
 Data File : VW009325.D
 Acq On : 21 Mar 2019 14:19
 Operator : SY/VA
 Sample : VIBLK10
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK10

Manual Integrations
 APPROVED

MMDadoda
 3/23/2019 3:00:40 AM

Quant Time: Mar 22 10:09:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 09:38:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	429822	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	407710	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	193649	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	124596	24.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.04%
7) Chloroethane-d5	2.89	69	121455	20.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.84%
10) 1,1-Dichloroethene-d2	4.01	63	190092	17.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.48%
20) 2-Butanone-d5	7.07	46	91134	42.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.80%
24) Chloroform-d	7.65	84	265428	22.63	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.52%
26) 1,2-Dichloroethane-d4	8.31	65	161865	22.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.64%
29) Benzene-d6	8.27	84	495273	22.03	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.12%
33) 1,2-Dichloropropane-d6	9.27	67	154035	22.81	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.24%
37) Toluene-d8	10.32	98	444770	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.56%
38) trans-1,3-Dichloropropene-	10.58	79	70741	20.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.44%
39) 2-Hexanone-d5	10.93	63	68081	41.62	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.24%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	147491	22.18	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	175099	23.58	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.32%

Target Compounds				Ovalue
16) Methylene chloride	4.91	84	11900m	1.899 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032119\
Data File : VW009325.D
Acq On : 21 Mar 2019 14:19
Operator : SY/VA
Sample : VIBLK10
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1




Instrument :
MSVOA_W
ClientSampled :
VIBLK10

Manual Integrations
APPROVED

MMDadoda
3/23/2019 3:00:40 AM

Quant Time: Mar 22 10:09:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 09:38:27 2019
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 1.899 ug/L m
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW009325.D
Acq: 21 Mar 2019 14:19

Tot Ion	Ion	Ratio	Lower	Upper
84	100			
49	137.0	96.0	178.2	
86	61.6	44.4	82.5	

Instrument :
MSVOA_W
ClientSampleId :
VIBLK10

Manual Integrations
APPROVED

MMDadoda
3/23/2019 3:00:40 AM

