

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW032119\
 Data File : VW009326.D
 Acq On : 21 Mar 2019 14:58
 Operator : SY/VA
 Sample : K2017-02
 Misc : 7.02G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF0D5

Manual Integrations
 APPROVED

MMDadoda
 3/23/2019 3:00:41 AM

Quant Time: Mar 22 10:12:28 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 22 09:38:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	415593	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	395156	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	185873	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	128066	25.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.16%
7) Chloroethane-d5	2.89	69	119754	20.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.44%
10) 1,1-Dichloroethene-d2	4.01	63	194427	18.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.44%
20) 2-Butanone-d5	7.07	46	79075	38.50	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.00%
24) Chloroform-d	7.64	84	273524	24.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.48%
26) 1,2-Dichloroethane-d4	8.31	65	159712	23.38	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.52%
29) Benzene-d6	8.27	84	513627	23.57	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.28%
33) 1,2-Dichloropropane-d6	9.27	67	159144	24.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.24%
37) Toluene-d8	10.32	98	460747	22.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.48%
38) trans-1,3-Dichloropropene-	10.58	79	68696	20.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.60%
39) 2-Hexanone-d5	10.93	63	57751	36.43	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.86%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	135602	21.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.16%
61) 1,2-Dichlorobenzene-d4	13.86	152	178508	25.05	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.20%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	11689m	1.929	ug/L
22) cis-1,2-Dichloroethene	7.16	96	22446	3.851	ug/L
35) Trichloroethene	9.09	95	1646592	285.708	ug/L
47) Tetrachloroethene	10.86	164	45507	9.345	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW032119\
Data File : VW009326.D
Acq On : 21 Mar 2019 14:58
Operator : SY/VA
Sample : K2017-02
Misc : 7.02G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF0D5

Manual Integrations
APPROVED

MMDadoda
3/23/2019 3:00:41 AM

Quant Time: Mar 22 10:12:28 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 22 09:38:27 2019
Response via : Initial Calibration









#16
Methylene chloride
Concen: 1.929 ug/L m
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW009326.D
Acq: 21 Mar 2019 14:58

Instrument :
MSVOA_W
ClientSampleId :
BF0D5

Tot Ion	Ratio	Lower	Upper
84	100		
49	110.3	96.0	178.2
86	58.9	44.4	82.5




Manual Integrations
APPROVED


MMDadoda
3/23/2019 3:00:41 AM



#22
cis-1,2-Dichloroethene
Concen: 3.851 ug/L
RT: 7.16 min Scan# 862
Delta R.T. -0.01 min
Lab File: VW009326.D
Acq: 21 Mar 2019 14:58

Tgt Ion	Ratio	Lower	Upper
96	100		
61	139.2	90.6	168.3
98	68.8	44.0	81.8





#35

Trichloroethene

Concen: 285.708 ug/L

RT: 9.09 min Scan# 1178

Delta R.T. 0.00 min

Lab File: VW009326.D

Acq: 21 Mar 2019 14:58

Instrument :

MSVOA_W

ClientSampled :

BF0D5

Tot Ion: 95 Resp: 1646592

Ion Ratio Lower Upper

95 100


97 64.3 44.7 82.9

132 97.7 69.0 128.2

130 102.2 72.7 134.9

Manual Integrations
APPROVED

MMDadoda
3/23/2019 3:00:41 AM






Abundance Ion 95.00 (94.70 to 95.70): VW

Ion 97.00 (96.70 to 97.70): VW

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V



#47

Tetrachloroethene

Concen: 9.345 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VW009326.D

Acq: 21 Mar 2019 14:58

Tgt Ion:164 Resp: 45507

Ion Ratio Lower Upper

164 100

129 96.1 66.5 123.5

131 93.3 62.6 116.3

166 131.8 91.6 170.0

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

