

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
 Data File : VW018463.D
 Acq On : 26 Mar 2021 11:41
 Operator : SY/VA
 Sample : M1784-19
 Misc : 5.56G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4Y0

Manual Integrations
 APPROVED

MMDadoda
 3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 01:30:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	464146	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	416964	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	197401	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	152343	23.59	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 94.36%			
7) Chloroethane-d5	2.891	69	141701	25.06	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 100.24%			
10) 1,1-Dichloroethene-d2	4.025	63	200946	18.02	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 72.08%			
20) 2-Butanone-d5	7.080	46	64121	44.59	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 89.18%			
24) Chloroform-d	7.647	84	283369m	23.97	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 95.88%			
26) 1,2-Dichloroethane-d4	8.311	65	166686	24.15	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 96.60%			
29) Benzene-d6	8.275	84	542089	24.46	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 97.84%			
33) 1,2-Dichloropropane-d6	9.274	67	156807	24.52	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 98.08%			
37) Toluene-d8	10.323	98	502058	23.52	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 94.08%			
38) trans-1,3-Dichloroprop...	10.579	79	69059	20.94	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 83.76%			
39) 2-Hexanone-d5	10.927	63	55760	44.56	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 89.12%			
48) 1,1,2,2-Tetrachloroeth...	12.695	84	128815	22.52	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 90.08%			
61) 1,2-Dichlorobenzene-d4	13.853	152	170740	24.33	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 97.32%			
Target Compounds						Qvalue
16) Methylene chloride	4.916	84	13191m	1.73	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
Data File : VW018463.D
Acq On : 26 Mar 2021 11:41
Operator : SY/VA
Sample : M1784-19
Misc : 5.56G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BG4Y0

Manual Integrations
APPROVED


MMDadoda
3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 01:30:53 2021
Response via : Initial Calibration







#16
Methylene chloride
Concen: 1.73 ug/L m
RT: 4.916 min Scan# 494
Delta R.T. 0.000 min
Lab File: VW018463.D
Acq: 26 Mar 2021 11:41



Tgt Ion: 84 Resp: 13191

Ion	Ratio	Lower	Upper
84	100		
49	108.6	74.4	138.2
86	57.9	46.1	85.7



Instrument :
MSVOA_W
ClientSampleId :
BG4Y0

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:39 PM


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
Data File : VW018463.D
Acq On : 26 Mar 2021 11:41
Operator : SY/VA
Sample : M1784-19
Misc : 5.56G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG4Y0

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 01:30:53 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
Data File : VW018463.D
Acq On : 26 Mar 2021 11:41
Operator : SY/VA
Sample : M1784-19
Misc : 5.56G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG4Y0

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 01:30:53 2021
Response via : Initial Calibration



TIC: VW018463.D\data.ms

(24) Chloroform-d (S)

7.763min (+ 0.116) 0.01 ug/L

response 171

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	62.50	72.51
47.00	41.50	33.92
49.00	24.80	17.54

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
 Data File : VW018463.D
 Acq On : 26 Mar 2021 11:41
 Operator : SY/VA
 Sample : M1784-19
 Misc : 5.56G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4Y0

Manual Integrations
 APPROVED

MMDadoda
 3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 01:30:53 2021
 Response via : Initial Calibration



TIC: VW018463.D\data.ms

(24) Chloroform-d (S)

7.647min (+ 0.000) 23.97 ug/L m

response 283369

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	62.50	0.04#
47.00	41.50	0.02#
49.00	24.80	0.01#

7 MD
 4/5/21

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
Data File : VW018463.D
Acq On : 26 Mar 2021 11:41
Operator : SY/VA
Sample : M1784-19
Misc : 5.56G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG4Y0

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 01:30:53 2021
Response via : Initial Calibration



TIC: VW018463.D\data.ms

(16) Methylene chloride (T)

4.916min (+ 0.000) 0.86 ug/L

response 6546

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	108.56
86.00	65.90	57.91
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
 Data File : VW018463.D
 Acq On : 26 Mar 2021 11:41
 Operator : SY/VA
 Sample : M1784-19
 Misc : 5.56G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4Y0

Manual Integrations
 APPROVED

MMDadoda
 3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 01:30:53 2021
 Response via : Initial Calibration



TIC: VW018463.D\data.ms

(16) Methylene chloride (T)

4.916min (+ 0.000) 1.73 ug/L m

response 13191

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	108.56
86.00	65.90	57.91
0.00	0.00	0.00

7 ml
 4/5/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
 Data File : VW018463.D
 Acq On : 26 Mar 2021 11:41
 Operator : SY/VA
 Sample : M1784-19
 Misc : 5.56G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4Y0

Manual Integrations
 APPROVED

MMDadoda
 3/29/2021 4:47:39 PM

Quant Time: Mar 27 01:32:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 01:30:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	464146	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	416964	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	197401	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	152343	23.59	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	94.36%		
7) Chloroethane-d5	2.891	69	141701	25.06	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	100.24%		
10) 1,1-Dichloroethene-d2	4.025	63	200946	18.02	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	72.08%		
20) 2-Butanone-d5	7.080	46	64121	44.59	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	89.18%		
24) Chloroform-d	7.647	84	283369m	23.97	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	95.88%		
26) 1,2-Dichloroethane-d4	8.311	65	166686	24.15	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	96.60%		
29) Benzene-d6	8.275	84	542089	24.46	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	97.84%		
33) 1,2-Dichloropropane-d6	9.274	67	156807	24.52	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	98.08%		
37) Toluene-d8	10.323	98	502058	23.52	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	94.08%		
38) trans-1,3-Dichloroprop...	10.579	79	69059	20.94	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	83.76%		
39) 2-Hexanone-d5	10.927	63	55760	44.56	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	89.12%		
48) 1,1,2,2-Tetrachloroeth...	12.695	84	128815	22.52	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	90.08%		
61) 1,2-Dichlorobenzene-d4	13.853	152	170740	24.33	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	97.32%		
Target Compounds						
16) Methylene chloride	4.916	84	13191m	1.73	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

MD
4/5/21

MD
4/5/21