

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
 Data File : VW018465.D
 Acq On : 26 Mar 2021 12:29
 Operator : SY/VA
 Sample : M1784-18
 Misc : 5.34G/10ML/MSVOA_W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG4X9

Manual Integrations
 APPROVED

MMDadoda
 3/29/2021 4:47:44 PM

Quant Time: Mar 27 01:32:36 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 27 01:30:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	528670	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	469770	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.554	152	220328	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	136605	18.57	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.28%		
7) Chloroethane-d5	2.898	69	129084	20.04	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	80.16%		
10) 1,1-Dichloroethene-d2	4.019	63	185268	14.59	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	58.36%		
20) 2-Butanone-d5	7.086	46	81858	49.98	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.96%		
24) Chloroform-d	7.653	84	283554	21.06	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.24%		
26) 1,2-Dichloroethane-d4	8.305	65	176457	22.45	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	89.80%		
29) Benzene-d6	8.275	84	529898	21.22	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	84.88%		
33) 1,2-Dichloropropane-d6	9.275	67	162897	22.61	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	90.44%		
37) Toluene-d8	10.323	98	518626	21.57	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.28%		
38) trans-1,3-Dichloroprop...	10.579	79	76053	20.47	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.88%		
39) 2-Hexanone-d5	10.927	63	69355	49.20	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	98.40%		
48) 1,1,2,2-Tetrachloroeth...	12.695	84	151242	23.47	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.88%		
61) 1,2-Dichlorobenzene-d4	13.853	152	188919	24.12	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	96.48%		
Target Compounds					Qvalue	
13) Acetone	4.147	43	1926	1.64	ug/L	67
16) Methylene chloride	4.928	84	12300m	1.42	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032621\
Data File : VW018465.D
Acq On : 26 Mar 2021 12:29
Operator : SY/VA
Sample : M1784-18
Misc : 5.34G/10ML/MSVOA_W/SOIL
ALS Vial : 7 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BG4X9

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:44 PM

Quant Time: Mar 27 01:32:36 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 27 01:30:53 2021
Response via : Initial Calibration









#13
Acetone
Concen: 1.64 ug/L
RT: 4.147 min Scan# 368
Delta R.T. 0.018 min
Lab File: VW018465.D
Acq: 26 Mar 2021 12:29

Tgt Ion: 43 Resp: 1926
Ion Ratio Lower Upper
43 100
58 13.1 0.0 62.2

Instrument :
MSVOA_W
ClientSampled :
BG4X9

Manual Integrations
APPROVED

MMDadoda
3/29/2021 4:47:44 PM



#16
Methylene chloride
Concen: 1.42 ug/L m
RT: 4.928 min Scan# 496
Delta R.T. 0.012 min
Lab File: VW018465.D
Acq: 26 Mar 2021 12:29

Tgt Ion: 84 Resp: 12300
Ion Ratio Lower Upper
84 100
49 95.3 74.4 138.2
86 64.3 46.1 85.7

