

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW072720\
 Data File : VW015962.D
 Acq On : 27 Jul 2020 11:21
 Operator : SY/VA
 Sample : L3458-01
 Misc : 5.37G/10ML/MSVOA W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAY29

Quant Time: Jul 28 01:37:48 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 28 01:36:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	368451	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	343589	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	152359	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	95329	18.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.36%
7) Chloroethane-d5	2.89	69	73279	17.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.40%
10) 1,1-Dichloroethene-d2	4.01	63	146515	13.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.76%
20) 2-Butanone-d5	7.09	46	119370	87.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	174.82%#
24) Chloroform-d	7.65	84	187670	18.14	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	72.56%
26) 1,2-Dichloroethane-d4	8.31	65	119717	21.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.28%
29) Benzene-d6	8.27	84	383207	18.32	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.28%
33) 1,2-Dichloropropane-d6	9.27	67	119832	19.11	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	76.44%
37) Toluene-d8	10.32	98	334170	17.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	70.56%
38) trans-1,3-Dichloropropene-	10.58	79	55135	20.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.52%
39) 2-Hexanone-d5	10.93	63	90692	86.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	173.74%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	143243	29.72	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	118.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	119952	20.19	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	80.76%

Target Compounds


					Ovalue
13) Acetone	4.13	43	31813	27.738	ug/L 96
15) Methyl Acetate	4.68	43	13707	6.339	ug/L 99
16) Methylene chloride	4.92	84	13048	2.161	ug/L 93
21) 2-Butanone	7.18	43	5030	3.547	ug/L 83
40) 1,2-Dichloropropane	9.27	63	13148	2.543	ug/L # 87
42) cis-1,3-Dichloropropene	10.04	75	3265	0.415	ug/L # 58
44) Toluene	10.39	91	8385	0.383	ug/L 100
49) 2-Hexanone	10.93	43	12692	5.927	ug/L # 66


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW072720\
Data File : VW015962.D
Acq On : 27 Jul 2020 11:21
Operator : SY/VA
Sample : L3458-01
Misc : 5.37G/10ML/MSVOA W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAY29

Quant Time: Jul 28 01:37:48 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 28 01:36:11 2020
Response via : Initial Calibration





#13

Acetone

Concen: 27.738 ug/L

RT: 4.13 min Scan# 365

Delta R.T. -0.01 min

Lab File: VW015962.D

Acq: 27 Jul 2020 11:21

Instrument :

MSVOA_W

ClientSampleId :





GAY29

Tot Ion: 43 Resp: 31813

Ion Ratio Lower Upper

43 100

58 31.1 0.0 58.2



#15

Methyl Acetate

Concen: 6.339 ug/L

RT: 4.68 min Scan# 455

Delta R.T. -0.00 min

Lab File: VW015962.D




Acq: 27 Jul 2020 11:21


Tgt Ion: 43 Resp: 13707

Ion Ratio Lower Upper

43 100

74 23.2 18.2 27.2









#16
Methylene chloride
Concen: 2.161 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW015962.D
Acq: 27 Jul 2020 11:21




Instrument :
MSVOA_W
ClientSampled :
GAY29


Tot Ion: 84 Resp: 13048
Ion Ratio Lower Upper
84 100
49 123.8 91.1 169.1
86 58.4 46.0 85.4



#21
2-Butanone
Concen: 3.547 ug/L
RT: 7.18 min Scan# 866
Delta R.T. -0.00 min
Lab File: VW015962.D
Acq: 27 Jul 2020 11:21

Tgt Ion: 43 Resp: 5030
Ion Ratio Lower Upper
43 100
72 36.8 13.9 41.7









#40
 1,2-Dichloropropane
 Concen: 2.543 ug/L
 RT: 9.27 min Scan# 1209
 Delta R.T. -0.10 min
 Lab File: VW015962.D
 Acq: 27 Jul 2020 11:21




Instrument :
 MSVOA_W
 ClientSampleId :
 GAY29


Tot Ion: 63 Resp: 13148
 Ion Ratio Lower Upper
 63 100
 112 0.4 3.7 5.5#



#42
 cis-1,3-Dichloropropene
 Concen: 0.415 ug/L
 RT: 10.04 min Scan# 1334
 Delta R.T. -0.04 min
 Lab File: VW015962.D
 Acq: 27 Jul 2020 11:21

Tgt Ion: 75 Resp: 3265
 Ion Ratio Lower Upper
 75 100
 77 55.0 22.2 41.2#





#44

Toluene

Concen: 0.383 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. -0.00 min

Lab File: VW015962.D

Acq: 27 Jul 2020 11:21

Instrument :

MSVOA_W

ClientSampled :





GAY29

Tot Ion: 91 Resp: 8385

Ion Ratio Lower Upper

91 100

92 58.8 41.2 76.4



#49

2-Hexanone

Concen: 5.927 ug/L

RT: 10.93 min Scan# 1480

Delta R.T. -0.04 min

Lab File: VW015962.D

Acq: 27 Jul 2020 11:21

Tgt Ion: 43 Resp: 12692

Ion Ratio Lower Upper

43 100

58 21.4 42.4 63.6#

57 25.5 15.6 23.4#

100 3.8 9.8 14.6#

