

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081020\
 Data File : VW016112.D
 Acq On : 10 Aug 2020 20:17
 Operator : SY/VA
 Sample : L3598-15
 Misc : 6.87G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAY71

Quant Time: Aug 11 02:21:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 11 01:19:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	395081	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	373509	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	140070	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	112651	23.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.00%
7) Chloroethane-d5	2.89	69	82137	22.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.36%
10) 1,1-Dichloroethene-d2	4.01	63	177334	17.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.20%
20) 2-Butanone-d5	7.09	46	92804	72.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	144.00%#
24) Chloroform-d	7.65	84	240288	22.66	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.64%
26) 1,2-Dichloroethane-d4	8.31	65	148421	26.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.44%
29) Benzene-d6	8.27	84	468103	23.04	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.16%
33) 1,2-Dichloropropane-d6	9.27	67	141011	23.60	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.40%
37) Toluene-d8	10.32	98	411761	22.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.40%
38) trans-1,3-Dichloropropene-	10.58	79	65714	24.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.88%
39) 2-Hexanone-d5	10.93	63	75356	73.11	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	146.22%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	143777	29.56	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	118.24%
61) 1,2-Dichlorobenzene-d4	13.85	152	126465	25.47	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.88%

Target Compounds					Ovalue
13) Acetone	4.14	43	25783	26.443 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081020\
Data File : VW016112.D
Acq On : 10 Aug 2020 20:17
Operator : SY/VA
Sample : L3598-15
Misc : 6.87G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAY71

Quant Time: Aug 11 02:21:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 11 01:19:31 2020
Response via : Initial Calibration

