

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081820\
 Data File : VW016238.D
 Acq On : 18 Aug 2020 13:50
 Operator : SY/VA
 Sample : L3709-09
 Misc : 5.63G/10ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 19 06:42:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 19 05:49:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	432687	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	394548	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	156426	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	92853	17.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.24%
7) Chloroethane-d5	2.89	69	75778	18.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.44%
10) 1,1-Dichloroethene-d2	4.01	63	162418	14.25	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.00%
20) 2-Butanone-d5	7.09	46	46451	32.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	65.82%
24) Chloroform-d	7.65	84	242111	20.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.40%
26) 1,2-Dichloroethane-d4	8.31	65	114234	18.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	74.08%
29) Benzene-d6	8.27	84	468369	21.82	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.28%
33) 1,2-Dichloropropane-d6	9.27	67	138464	21.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.76%
37) Toluene-d8	10.33	98	427937	21.74	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.96%
38) trans-1,3-Dichloropropene-	10.58	79	53348	18.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.24%
39) 2-Hexanone-d5	10.93	63	40802	37.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	102622	19.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	143267	25.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.36%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	17879m	2.617 ug/L	
47) Tetrachloroethene	10.87	164	168891	36.824 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081820\
Data File : VW016238.D
Acq On : 18 Aug 2020 13:50
Operator : SY/VA
Sample : L3709-09
Misc : 5.63G/10ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 19 06:42:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 19 05:49:31 2020
Response via : Initial Calibration

