

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081820\
 Data File : VW016234.D
 Acq On : 18 Aug 2020 12:16
 Operator : SY/VA
 Sample : L3709-04
 Misc : 5.86G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFSQ7

Quant Time: Aug 19 06:28:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 19 05:49:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	442467	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	403432	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	170574	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	91565	16.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.76%
7) Chloroethane-d5	2.89	69	75229	18.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.28%
10) 1,1-Dichloroethene-d2	4.01	63	157812	13.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	54.16%
20) 2-Butanone-d5	7.09	46	46750	32.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.78%
24) Chloroform-d	7.65	84	232895	19.61	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.44%
26) 1,2-Dichloroethane-d4	8.31	65	112437	17.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	71.32%
29) Benzene-d6	8.27	84	455933	20.77	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.08%
33) 1,2-Dichloropropane-d6	9.28	67	132492	20.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.12%
37) Toluene-d8	10.33	98	410260	20.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.52%
38) trans-1,3-Dichloropropene-	10.58	79	53758	18.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.12%
39) 2-Hexanone-d5	10.93	63	37898	34.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.08%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	102150	19.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	148206	24.51	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.04%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	15971	2.286 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081820\
Data File : VW016234.D
Acq On : 18 Aug 2020 12:16
Operator : SY/VA
Sample : L3709-04
Misc : 5.86G/10ML/MSVOA W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSQ7

Quant Time: Aug 19 06:28:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 19 05:49:31 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.286 ug/L
 RT: 4.91 min Scan# 493
 Delta R.T. -0.01 min
 Lab File: VW016234.D
 Acq: 18 Aug 2020 12:16

Instrument :
 MSVOA_W
 ClientSampleId :
 BFSQ7

Tot Ion: 84 Resp: 15971
 Ion Ratio Lower Upper
 84 100
 49 105.1 80.4 149.4
 86 68.9 43.8 81.3

