

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081820\
 Data File : VW016241.D
 Acq On : 18 Aug 2020 15:10
 Operator : SY/VA
 Sample : VIBLK15
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK15

Quant Time: Aug 19 06:53:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 19 05:49:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	369495	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	350404	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	149598	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	72095	15.74	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.96%
7) Chloroethane-d5	2.89	69	57553	16.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.20%
10) 1,1-Dichloroethene-d2	4.01	63	124592	12.81	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.24%
20) 2-Butanone-d5	7.08	46	52123	43.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.48%
24) Chloroform-d	7.65	84	191682	19.33	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.32%
26) 1,2-Dichloroethane-d4	8.31	65	104008	19.75	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	79.00%
29) Benzene-d6	8.27	84	371659	19.50	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	78.00%
33) 1,2-Dichloropropane-d6	9.27	67	112854	20.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.52%
37) Toluene-d8	10.32	98	335511	19.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.76%
38) trans-1,3-Dichloropropene-	10.58	79	46778	18.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.28%
39) 2-Hexanone-d5	10.93	63	42528	43.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.96%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	103092	22.59	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.36%
61) 1,2-Dichlorobenzene-d4	13.85	152	124032	23.39	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.56%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	18154	3.112 ug/L	89




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081820\
Data File : VW016241.D
Acq On : 18 Aug 2020 15:10
Operator : SY/VA
Sample : VIBLK15
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK15

Quant Time: Aug 19 06:53:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 19 05:49:31 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 3.112 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW016241.D

Acq: 18 Aug 2020 15:10

Instrument :

MSVOA_W

ClientSampleId :

VIBLK15

Tot Ion: 84 Resp: 18154

Ion Ratio Lower Upper

84 100

49 104.2 80.4 149.4

86 52.8 43.8 81.3

