

Data File : VW016256.D
Acq On : 19 Aug 2020 13:58
Operator : SY/VA
Sample : VIBLK17
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK17

Quant Time: Aug 20 02:18:09 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 20 01:39:58 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	368052	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	349389	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	158480	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	83883	18.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.52%
7) Chloroethane-d5	2.89	69	67122	19.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.52%
10) 1,1-Dichloroethene-d2	4.01	63	151943	15.68	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.72%
20) 2-Butanone-d5	7.09	46	65758	54.77	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.54%
24) Chloroform-d	7.65	84	221675	22.44	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.76%
26) 1,2-Dichloroethane-d4	8.31	65	120368	22.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.76%
29) Benzene-d6	8.27	84	434374	22.85	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.40%
33) 1,2-Dichloropropane-d6	9.27	67	127310	22.78	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.12%
37) Toluene-d8	10.32	98	397051	22.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.12%
38) trans-1,3-Dichloropropene-	10.58	79	56011	22.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.20%
39) 2-Hexanone-d5	10.93	63	54451	56.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	125134	27.50	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.00%
61) 1,2-Dichlorobenzene-d4	13.85	152	143795	25.60	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.40%

Target Compounds					Qvalue
16) Methylene chloride	4.91	84	15999	2.753 ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW016256.D
Acq On : 19 Aug 2020 13:58
Operator : SY/VA
Sample : VIBLK17
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK17

Quant Time: Aug 20 02:18:09 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 20 01:39:58 2020
Response via : Initial Calibration

