

Data File : VW016250.D
Acq On : 19 Aug 2020 11:16
Operator : SY/VA
Sample : VW0819SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK05

Quant Time: Aug 20 01:44:48 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 20 01:39:58 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	362786	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	337960	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	150148	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	82345	18.31	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.24%
7) Chloroethane-d5	2.89	69	71438	20.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.68%
10) 1,1-Dichloroethene-d2	4.01	63	155182	16.24	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.96%
20) 2-Butanone-d5	7.09	46	49806	42.08	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.16%
24) Chloroform-d	7.65	84	223731	22.98	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.92%
26) 1,2-Dichloroethane-d4	8.31	65	116205	22.47	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.88%
29) Benzene-d6	8.27	84	443514	24.12	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.48%
33) 1,2-Dichloropropane-d6	9.27	67	129515	23.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.84%
37) Toluene-d8	10.33	98	407114	24.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.56%
38) trans-1,3-Dichloropropene-	10.58	79	52394	21.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.24%
39) 2-Hexanone-d5	10.93	63	41240	44.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.44%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	106270	24.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	144886	27.22	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	108.88%

Target Compounds					Qvalue
16) Methylene chloride	4.92	84	13537	2.363 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW016250.D

Acq On : 19 Aug 2020 11:16

Operator : SY/VA

Sample : VW0819SBL01

Misc : 5.00G/10ML/MSVOA_W/SOIL

ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK05


Quant Time: Aug 20 01:44:48 2020


Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M

Quant Title : VOC Analysis

QLast Update : Thu Aug 20 01:39:58 2020

Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.363 ug/L

RT: 4.92 min Scan# 494

Delta R.T. 0.00 min

Lab File: VW016250.D

Acq: 19 Aug 2020 11:16

Instrument :

MSVOA_W

ClientSampleId :

VBLK05

Tgt Ion: 84 Resp: 13537

Ion Ratio Lower Upper

84 100

49 98.8 80.4 149.4

86 62.4 43.8 81.3

