

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090120\
 Data File : VW016437.D
 Acq On : 01 Sep 2020 17:29
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 02 09:17:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082820S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 28 15:01:43 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	78	0.00
2 T	Dichlorodifluoromethane	0.282	0.330	-17.0	90	0.00
3 P	Chloromethane	0.271	0.352	-29.9#	111	0.01
4 C	Vinyl Chloride	0.395	0.504	-27.6#	105	0.00
5 T	Bromomethane	0.279	0.417	-49.5#	123	0.00
6 T	Chloroethane	0.235	0.364	-54.9#	126	0.00
7 T	Trichlorofluoromethane	0.478	0.721	-50.8#	122	0.00
8 T	Diethyl Ether	0.240	0.231	3.7	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.466	0.483	-3.6	82	0.01
10 T	Methyl Iodide	0.713	0.728	-2.1	79	0.00
11 T	Tert butyl alcohol	0.035	0.030	14.3	78	-0.05
12 CM	1,1-Dichloroethene	0.476	0.467	1.9#	78	0.00
13 T	Acrolein	0.023	0.016	30.4#	54	0.00
14 T	Allyl chloride	0.595	0.545	8.4	71	0.00
15 T	Acrylonitrile	0.090	0.093	-3.3	79	0.00
16 T	Acetone	0.085	0.083	2.4	81	-0.02
17 T	Carbon Disulfide	1.336	1.259	5.8	74	0.00
18 T	Methyl Acetate	0.194	0.195	-0.5	79	0.00
19 T	Methyl tert-butyl Ether	0.727	0.695	4.4	73	0.00
20 T	Methylene Chloride	0.671	0.549	18.2	81	0.00
21 T	trans-1,2-Dichloroethene	0.533	0.519	2.6	77	0.00
22 T	Diisopropyl ether	1.177	1.133	3.7	74	0.00
23 T	Vinyl Acetate	0.722	0.721	0.1	75	0.00
24 P	1,1-Dichloroethane	0.849	0.833	1.9	79	0.00
25 T	2-Butanone	0.115	0.112	2.6	78	0.00
26 T	2,2-Dichloropropane	0.656	0.558	14.9	72	0.00
27 T	cis-1,2-Dichloroethene	0.578	0.570	1.4	78	0.00
28 T	Bromochloromethane	0.308	0.314	-1.9	76	0.00
29 T	Tetrahydrofuran	0.069	0.070	-1.4	78	0.00
30 C	Chloroform	0.943	0.951	-0.8#	78	0.00
31 T	Cyclohexane	0.778	0.704	9.5	77	0.00
32 T	1,1,1-Trichloroethane	0.849	0.853	-0.5	79	0.00
33 S	1,2-Dichloroethane-d4	0.501	0.533	-6.4	83	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.316	0.329	-4.1	82	0.00
36 T	1,1-Dichloropropene	0.476	0.475	0.2	79	0.00
37 T	Ethyl Acetate	0.161	0.168	-4.3	78	0.00
38 T	Carbon Tetrachloride	0.521	0.542	-4.0	82	0.00
39 T	Methylcyclohexane	0.576	0.587	-1.9	79	0.00
40 TM	Benzene	1.274	1.263	0.9	78	0.00
41 T	Methacrylonitrile	0.093	0.090	3.2	74	0.00
42 TM	1,2-Dichloroethane	0.389	0.401	-3.1	80	0.00
43 T	Isopropyl Acetate	0.322	0.313	2.8	75	0.00
44 TM	Trichloroethene	0.381	0.377	1.0	78	0.00
45 C	1,2-Dichloropropane	0.296	0.284	4.1#	76	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090120\
 Data File : VW016437.D
 Acq On : 01 Sep 2020 17:29
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 02 09:17:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082820S.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 28 15:01:43 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.178	-1.1	79	0.00
47 T	Bromodichloromethane	0.453	0.461	-1.8	79	0.00
48 T	Methyl methacrylate	0.153	0.152	0.7	77	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	88	-0.02
50 S	Toluene-d8	1.185	1.248	-5.3	82	0.00
51 T	4-Methyl-2-Pentanone	0.159	0.161	-1.3	78	0.00
52 CM	Toluene	0.854	0.871	-2.0#	80	0.00
53 T	t-1,3-Dichloropropene	0.440	0.457	-3.9	79	0.00
54 T	cis-1,3-Dichloropropene	0.513	0.523	-1.9	79	0.00
55 T	1,1,2-Trichloroethane	0.250	0.248	0.8	77	0.00
56 T	Ethyl methacrylate	0.293	0.303	-3.4	77	0.00
57 T	1,3-Dichloropropane	0.416	0.414	0.5	77	0.00
58 T	2-Chloroethyl Vinyl ether	0.131	0.136	-3.8	79	0.00
59 T	2-Hexanone	0.109	0.112	-2.8	78	0.00
60 T	Dibromochloromethane	0.317	0.336	-6.0	81	0.00
61 T	1,2-Dibromoethane	0.246	0.256	-4.1	80	0.00
62 S	4-Bromofluorobenzene	0.444	0.476	-7.2	84	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
64 T	Tetrachloroethene	0.343	0.351	-2.3	79	0.00
65 PM	Chlorobenzene	1.030	1.022	0.8	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.400	-5.0	81	0.00
67 C	Ethyl Benzene	1.838	1.888	-2.7#	79	0.00
68 T	m/p-Xylenes	0.702	0.730	-4.0	81	0.00
69 T	o-Xylene	0.645	0.660	-2.3	80	0.00
70 T	Styrene	1.100	1.147	-4.3	79	0.00
71 P	Bromoform	0.194	0.207	-6.7	81	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	79	0.00
73 T	Isopropylbenzene	3.687	3.869	-4.9	81	0.00
74 T	N-amyl acetate	0.645	0.654	-1.4	77	0.00
75 P	1,1,2,2-Tetrachloroethane	0.607	0.608	-0.2	78	0.00
76 T	1,2,3-Trichloropropane	0.442	0.435	1.6	76	0.00
77 T	Bromobenzene	0.857	0.858	-0.1	79	0.00
78 T	n-propylbenzene	4.328	4.433	-2.4	80	0.00
79 T	2-Chlorotoluene	2.549	2.583	-1.3	80	0.00
80 T	1,3,5-Trimethylbenzene	3.234	3.391	-4.9	81	0.00
81 T	trans-1,4-Dichloro-2-butene	0.199	0.199	0.0	79	0.00
82 T	4-Chlorotoluene	2.665	2.694	-1.1	81	0.00
83 T	tert-Butylbenzene	2.717	2.856	-5.1	82	0.00
84 T	1,2,4-Trimethylbenzene	3.225	3.431	-6.4	84	0.00
85 T	sec-Butylbenzene	3.762	4.006	-6.5	84	0.00
86 T	p-Isopropyltoluene	3.512	3.786	-7.8	83	0.00
87 T	1,3-Dichlorobenzene	1.645	1.741	-5.8	88	0.00
88 T	1,4-Dichlorobenzene	1.655	1.676	-1.3	82	0.00
89 T	n-Butylbenzene	3.224	3.387	-5.1	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090120\
Data File : VW016437.D
Acq On : 01 Sep 2020 17:29
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Sep 02 09:17:24 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W082820S.M
Quant Title : SW846 8260
QLast Update : Fri Aug 28 15:01:43 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.659	0.702	-6.5	85	0.00
91 T	1,2-Dichlorobenzene	1.474	1.474	0.0	81	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.110	0.119	-8.2	84	0.00
93 T	1,2,4-Trichlorobenzene	0.978	1.073	-9.7	87	0.00
94 T	Hexachlorobutadiene	0.584	0.643	-10.1	86	0.00
95 T	Naphthalene	1.810	2.032	-12.3	83	0.00
96 T	1,2,3-Trichlorobenzene	0.857	0.927	-8.2	85	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6