

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091521\
 Data File : VW020029.D
 Acq On : 15 Sep 2021 10:49
 Operator : SY/VA
 Sample : VW0915SBL05
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK432

Quant Time: Sep 16 00:49:00 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Sep 16 00:47:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	277910	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	269935	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	123772	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	136286	29.774	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 119.080%			
7) Chloroethane-d5	2.898	69	109004	27.667	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 110.680%			
11) 1,1-Dichloroethene-d2	4.025	63	150464	20.110	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 80.440%			
21) 2-Butanone-d5	7.080	46	43748	34.937	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 69.880%			
24) Chloroform-d	7.653	84	211097	27.567	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 110.280%			
26) 1,2-Dichloroethane-d4	8.311	65	123641	27.409	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 109.640%			
32) Benzene-d6	8.281	84	406081	27.573	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 110.280%			
36) 1,2-Dichloropropane-d6	9.275	67	122026	27.934	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 111.720%			
41) Toluene-d8	10.329	98	373449	27.051	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 108.200%			
43) trans-1,3-Dichloroprop...	10.579	79	51903	25.830	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 103.320%			
47) 2-Hexanone-d5	10.927	63	32674	36.613	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 73.220%			
56) 1,1,2,2-Tetrachloroeth...	12.695	84	95587	22.242	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 88.960%			
66) 1,2-Dichlorobenzene-d4	13.853	152	122594	29.064	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 116.240%			
Target Compounds					Qvalue	
42) Toluene	10.390	91	5999	0.346	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091521\
Data File : VW020029.D
Acq On : 15 Sep 2021 10:49
Operator : SY/VA
Sample : VW0915SBL05
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK432

Quant Time: Sep 16 00:49:00 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091421SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Sep 16 00:47:26 2021
Response via : Initial Calibration





#42
Toluene
Concen: 0.346 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. -0.000 min
Lab File: VW020029.D
Acq: 15 Sep 2021 10:49

Instrument :
MSVOA_W
ClientSampleId :
VBLK432

Tgt Ion: 91 Resp: 5999
Ion Ratio Lower Upper
91 100
92 51.9 39.5 73.3

