

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW092920\
 Data File : VW016682.D
 Acq On : 29 Sep 2020 11:06
 Operator : SY/VA
 Sample : L4149-20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK02

Quant Time: Sep 30 07:41:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 30 07:14:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	623623	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	553738	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	276451	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.37	65	99501	16.48	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.92%
7) Chloroethane-d5	2.90	69	92182	18.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.80%
10) 1,1-Dichloroethene-d2	4.03	63	167094	12.38	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	49.52%
20) 2-Butanone-d5	7.09	46	79664	48.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.82%
24) Chloroform-d	7.65	84	297497	22.80	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.20%
26) 1,2-Dichloroethane-d4	8.31	65	158007	23.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.36%
29) Benzene-d6	8.28	84	523262	21.07	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.28%
33) 1,2-Dichloropropane-d6	9.28	67	156956	23.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.28%
37) Toluene-d8	10.33	98	475219	19.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.80%
38) trans-1,3-Dichloropropene-	10.59	79	71687	21.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.52%
39) 2-Hexanone-d5	10.93	63	63583	51.94	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.88%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	146402	25.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	102.28%
61) 1,2-Dichlorobenzene-d4	13.85	152	209928	23.77	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.08%

Target Compounds					Ovalue
13) Acetone	4.14	43	2937	2.278 ug/L	98
16) Methylene chloride	4.93	84	14088	1.465 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW092920\
Data File : VW016682.D
Acq On : 29 Sep 2020 11:06
Operator : SY/VA
Sample : L4149-20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK02

Quant Time: Sep 30 07:41:21 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM091520S.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 30 07:14:58 2020
Response via : Initial Calibration

