

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101620\
 Data File : VW016910.D
 Acq On : 15 Oct 2020 14:36
 Operator : SY/VA
 Sample : L4421-14
 Misc : 6.41G/10ML/MSVOA W/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG197

Quant Time: Oct 16 08:32:20 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 16 08:07:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	557681	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	511958	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	242328	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	126106	22.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.68%
7) Chloroethane-d5	2.90	69	107402	23.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.08%
10) 1,1-Dichloroethene-d2	4.03	63	194273	16.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.52%
20) 2-Butanone-d5	7.09	46	61585	49.42	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.84%
24) Chloroform-d	7.65	84	288177	24.49	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.96%
26) 1,2-Dichloroethane-d4	8.31	65	149456	26.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.20%
29) Benzene-d6	8.28	84	583286	25.09	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.36%
33) 1,2-Dichloropropane-d6	9.28	67	160656	25.71	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.84%
37) Toluene-d8	10.33	98	548688	25.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.04%
38) trans-1,3-Dichloropropene-	10.59	79	67112	24.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.40%
39) 2-Hexanone-d5	10.93	63	53524	55.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	110.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	131771	26.10	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.40%
61) 1,2-Dichlorobenzene-d4	13.86	152	207878	27.05	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	108.20%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	19023	2.472 ug/L	98
47) Tetrachloroethene	10.87	164	30694	4.257 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101620\
Data File : VW016910.D
Acq On : 15 Oct 2020 14:36
Operator : SY/VA
Sample : L4421-14
Misc : 6.41G/10ML/MSVOA W/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG197

Quant Time: Oct 16 08:32:20 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 16 08:07:29 2020
Response via : Initial Calibration

