

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101720\
 Data File : VW016925.D
 Acq On : 16 Oct 2020 13:36
 Operator : SY/VA
 Sample : L4421-21
 Misc : 5.02G/10ML/MSVOA W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 10/19/2020 11:52:45 AM

Quant Time: Oct 17 22:34:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 17 00:37:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	498696	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	456400	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	220531	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	108300	22.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.04%
7) Chloroethane-d5	2.89	69	92801	22.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.96%
10) 1,1-Dichloroethene-d2	4.02	63	169197	16.20	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.80%
20) 2-Butanone-d5	7.08	46	58499	52.50	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.00%
24) Chloroform-d	7.65	84	261228	24.82	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	99.28%
26) 1,2-Dichloroethane-d4	8.30	65	128902	25.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.44%
29) Benzene-d6	8.27	84	522262	25.20	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.80%
33) 1,2-Dichloropropane-d6	9.27	67	147196	26.42	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.68%
37) Toluene-d8	10.32	98	491947	25.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.60%
38) trans-1,3-Dichloropropene-	10.58	79	56941	23.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.72%
39) 2-Hexanone-d5	10.93	63	47021	54.58	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.16%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	119593	26.58	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	187720	26.84	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.36%

Target Compounds					Ovalue
13) Acetone	4.15	43	1706m	2.023	ug/L
16) Methylene chloride	4.92	84	9282	1.349	ug/L
47) Tetrachloroethene	10.87	164	2749	0.428	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101720\
Data File : VW016925.D
Acq On : 16 Oct 2020 13:36
Operator : SY/VA
Sample : L4421-21
Misc : 5.02G/10ML/MSVOA W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampled :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
10/19/2020 11:52:45 AM

Quant Time: Oct 17 22:34:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 17 00:37:07 2020
Response via : Initial Calibration

