

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101920\
 Data File : VW016938.D
 Acq On : 19 Oct 2020 10:21
 Operator : SY/VA
 Sample : VW1019SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK01

Quant Time: Oct 20 21:12:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 20 08:48:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	491999	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	450592	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	214897	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	100765	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.04%
7) Chloroethane-d5	2.89	69	89077	21.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.52%
10) 1,1-Dichloroethene-d2	4.03	63	166144	16.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.48%
20) 2-Butanone-d5	7.08	46	61605	56.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.08%
24) Chloroform-d	7.65	84	256518	24.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.84%
26) 1,2-Dichloroethane-d4	8.31	65	127346	25.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.60%
29) Benzene-d6	8.27	84	508185	24.83	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.32%
33) 1,2-Dichloropropane-d6	9.28	67	145315	26.42	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.68%
37) Toluene-d8	10.33	98	467866	24.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.92%
38) trans-1,3-Dichloropropene-	10.58	79	58872	24.27	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.08%
39) 2-Hexanone-d5	10.93	63	50932	59.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	122105	27.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	109.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	178298	26.16	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.64%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	5051	0.744 ug/L	94




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101920\
Data File : VW016938.D
Acq On : 19 Oct 2020 10:21
Operator : SY/VA
Sample : VW1019SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK01

Quant Time: Oct 20 21:12:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 20 08:48:34 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.744 ug/L

RT: 4.93 min Scan# 496

Delta R.T. 0.01 min

Lab File: VW016938.D

Acq: 19 Oct 2020 10:21

Instrument :

MSVOA_W

ClientSampleId :

VBLK01

Tot Ion: 84 Resp: 5051

Ion Ratio Lower Upper

84 100

49 106.4 73.1 135.8

86 55.3 46.0 85.4

