

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW101920\
 Data File : VW016941.D
 Acq On : 19 Oct 2020 15:07
 Operator : SY/VA
 Sample : L4426-09
 Misc : 5.02G/10ML/MSVOA W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK02

Quant Time: Oct 20 21:17:43 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 20 08:48:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	532584	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	479719	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	228141	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	115504	21.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.92%
7) Chloroethane-d5	2.89	69	100663	22.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.36%
10) 1,1-Dichloroethene-d2	4.02	63	192091	17.22	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.88%
20) 2-Butanone-d5	7.09	46	62475	52.50	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.00%
24) Chloroform-d	7.65	84	296050	26.34	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	105.36%
26) 1,2-Dichloroethane-d4	8.31	65	142414	26.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	104.96%
29) Benzene-d6	8.27	84	572381	26.27	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.08%
33) 1,2-Dichloropropane-d6	9.27	67	163585	27.94	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.76%
37) Toluene-d8	10.32	98	530126	25.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	103.16%
38) trans-1,3-Dichloropropene-	10.58	79	66057	25.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	102.32%
39) 2-Hexanone-d5	10.93	63	52355	57.82	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.64%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	132133	27.94	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	111.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	200548	27.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	110.84%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	6757	0.919 ug/L	98




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW101920\
Data File : VW016941.D
Acq On : 19 Oct 2020 15:07
Operator : SY/VA
Sample : L4426-09
Misc : 5.02G/10ML/MSVOA W/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK02

Quant Time: Oct 20 21:17:43 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM100720S.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 20 08:48:34 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.919 ug/L

RT: 4.92 min Scan# 495

Delta R.T. 0.01 min

Lab File: VW016941.D

Acq: 19 Oct 2020 15:07

Instrument :

MSVOA_W

ClientSampleId :

VHBLK02

Tot Ion: 84 Resp: 6757

Ion Ratio Lower Upper

84 100

49 104.7 73.1 135.8

86 69.0 46.0 85.4

