

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW102320\
 Data File : VW016976.D
 Acq On : 23 Oct 2020 11:09
 Operator : SY/VA
 Sample : VW1023SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK05

Quant Time: Oct 24 00:39:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 24 00:31:51 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	524693	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	473846	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	222834	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	132726	21.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.68%
7) Chloroethane-d5	2.89	69	106928	22.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.16%
10) 1,1-Dichloroethene-d2	4.03	63	197335	16.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.00%
20) 2-Butanone-d5	7.09	46	49536	43.43	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.86%
24) Chloroform-d	7.65	84	272326	22.50	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.00%
26) 1,2-Dichloroethane-d4	8.31	65	131644	23.11	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.44%
29) Benzene-d6	8.28	84	565369	23.23	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.92%
33) 1,2-Dichloropropane-d6	9.27	67	153207	23.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.28%
37) Toluene-d8	10.33	98	534954	23.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.36%
38) trans-1,3-Dichloropropene-	10.59	79	61200	21.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.80%
39) 2-Hexanone-d5	10.93	63	41898	45.42	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.84%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	114113	22.80	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.20%
61) 1,2-Dichlorobenzene-d4	13.86	152	192234	24.55	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.20%


Target Compounds					Ovalue
16) Methylene chloride	4.93	84	5219	0.752 ug/L	93




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW102320\
Data File : VW016976.D
Acq On : 23 Oct 2020 11:09
Operator : SY/VA
Sample : VW1023SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK05

Quant Time: Oct 24 00:39:00 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM102220S.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 24 00:31:51 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.752 ug/L
RT: 4.93 min Scan# 496
Delta R.T. 0.01 min
Lab File: VW016976.D
Acq: 23 Oct 2020 11:09

Instrument :
MSVOA_W
ClientSampleId :
VBLK05

Tot Ion: 84 Resp: 5219
Ion Ratio Lower Upper
84 100
49 107.5 73.8 137.0
86 56.8 47.4 88.0

