

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW110218\
 Data File : VW006559.D
 Acq On : 01 Nov 2018 15:14
 Operator : SY/AP
 Sample : J5649-13RE
 Misc : 3.83G/5ML/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DL-05B

Quant Time: Nov 01 16:18:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W110218S.M
 Quant Title : SW846 8260
 QLast Update : Thu Nov 01 03:48:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	291658	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.85	114	424369	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	388880	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.57	152	209179	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	98883	39.44	ug/l	0.00
Spiked Amount	50.000		Recovery	=	78.88%	
35) Dibromofluoromethane	7.88	113	106680	40.06	ug/l	0.00
Spiked Amount	50.000		Recovery	=	80.12%	
50) Toluene-d8	10.33	98	397645	39.22	ug/l	0.00
Spiked Amount	50.000		Recovery	=	78.44%	
62) 4-Bromofluorobenzene	12.62	95	138701	37.74	ug/l	0.00
Spiked Amount	50.000		Recovery	=	75.48%	


Target Compounds						Qvalue
11) Tert butyl alcohol	5.17	59	646	4.78	ug/l	# 84
16) Acetone	4.12	43	3983	9.84	ug/l	97
20) Methylene Chloride	4.92	84	12967	Below	Cal	99
25) 2-Butanone	7.15	43	1296	2.24	ug/l	91
31) Cyclohexane	7.95	56	5089	1.27	ug/l	# 12
36) 1,1-Dichloropropene	7.95	75	18275	4.90	ug/l	# 48
38) Carbon Tetrachloride	7.95	117	25177	6.46	ug/l	# 16
76) 1,2,3-Trichloropropane	12.62	75	68842	42.18	ug/l	# 100
81) trans-1,4-Dichloro-2-buten	12.62	75	68842	106.08	ug/l	# 11


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW110218\
Data File : VW006559.D
Acq On : 01 Nov 2018 15:14
Operator : SY/AP
Sample : J5649-13RE
Misc : 3.83G/5ML/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DL-05B

Quant Time: Nov 01 16:18:25 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W110218S.M
Quant Title : SW846 8260
QLast Update : Thu Nov 01 03:48:08 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.00 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampled :


DL-05B

Tgt Ion:168 Resp: 291658

Ion Ratio Lower Upper

168 100

99 46.9 37.4 56.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

150000



100000

50000

0

7.90 8.00 8.10

Time-->



#11

Tert butyl alcohol

Concen: 4.78 ug/l

RT: 5.17 min Scan# 535

Delta R.T. -0.09 min

Lab File: VW006559.D


Acq: 01 Nov 2018 15:14

Tgt Ion: 59 Resp: 646

Ion Ratio Lower Upper

59 100

57 0.0 4.3 6.5#



Abundance Ion 59.00 (58.70 to 59.70): VW

Ion 57.00 (56.70 to 57.70): VW

5.17

250

200

150


100


50

0

5.10 5.15 5.20

Time-->





#16

Acetone

Concen: 9.84 ug/l

RT: 4.12 min Scan# 364

Delta R.T. -0.03 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampleId :





DL-05B

Tgt Ion: 43 Resp: 3983

Ion Ratio Lower Upper

43 100

58 30.7 25.8 38.8



#20

Methylene Chloride

Concen: Below Cal

RT: 4.92 min Scan# 494

Delta R.T. 0.00 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Tgt Ion: 84 Resp: 12967




Ion Ratio Lower Upper


84 100

49 112.7 88.2 132.4

51 32.8 27.0 40.6

86 67.2 53.8 80.8





#25

2-Butanone

Concen: 2.24 ug/l

RT: 7.15 min Scan# 861

Delta R.T. -0.04 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampleId :


DL-05B

Tgt Ion: 43 Resp: 1296

Ion Ratio Lower Upper




43 100

72 24.1 23.2 34.8



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 72.00 (71.70 to 72.70): VW



#31

Cyclohexane

Concen: 1.27 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.01 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14


Tgt Ion: 56 Resp: 5089

Ion Ratio Lower Upper

56 100

69 149.3 29.0 43.4#



84 145.3 77.8 116.6#




Abundance Ion 56.00 (55.70 to 56.70): VW

Ion 69.00 (68.70 to 69.70): VW

Ion 84.00 (83.70 to 84.70): VW









#33
 1,2-Dichloroethane-d4
 Concen: 39.44 ug/l
 RT: 8.31 min Scan# 1051
 Delta R.T. 0.00 min
 Lab File: VW006559.D
 Acq: 01 Nov 2018 15:14




Instrument :
 MSVOA_W
 ClientSampled :
 DL-05B


Tgt Ion: 65 Resp: 98883
 Ion Ratio Lower Upper
 65 100
 67 52.7 0.0 104.4



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.85 min Scan# 1139
 Delta R.T. 0.00 min
 Lab File: VW006559.D
 Acq: 01 Nov 2018 15:14

Tgt Ion: 114 Resp: 424369
 Ion Ratio Lower Upper
 114 100
 63 17.2 0.0 34.4
 88 14.3 0.0 29.0





#35

Dibromofluoromethane

Concen: 40.06 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.01 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampled :

DL-05B


Tgt Ion:113 Resp: 106680

Ion Ratio Lower Upper

113 100

111 102.5 82.2 123.2




192 23.9 19.0 28.6



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 4.90 ug/l

RT: 7.95 min Scan# 992

Delta R.T. -0.13 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14


Tgt Ion: 75 Resp: 18275

Ion Ratio Lower Upper

75 100

110 9.5 19.5 58.5#



77 0.0 24.6 37.0#




Abundance Ion 74.90 (74.60 to 75.60): VW

Ion 109.90 (109.60 to 110.60): V

Ion 76.90 (76.60 to 77.60): VW









#38
Carbon Tetrachloride
Concen: 6.46 ug/l
RT: 7.95 min Scan# 992
Delta R.T. -0.12 min
Lab File: VW006559.D
Acq: 01 Nov 2018 15:14

Instrument :
MSVOA_W
ClientSampleId :
DL-05B

Tgt Ion:117 Resp: 25177
Ion Ratio Lower Upper
117 100
119 4.3 76.3 114.5#
121 0.0 24.1 36.1#




Abundance Ion 116.80 (116.50 to 117.50): V
Ion 118.80 (118.50 to 119.50): V
Ion 120.80 (120.50 to 121.50): V






#50
Toluene-d8
Concen: 39.22 ug/l
RT: 10.33 min Scan# 1382
Delta R.T. 0.00 min
Lab File: VW006559.D
Acq: 01 Nov 2018 15:14

Tgt Ion: 98 Resp: 397645
Ion Ratio Lower Upper
98 100
100 64.9 51.6 77.4



Abundance Ion 98.00 (97.70 to 98.70): VW
Ion 100.00 (99.70 to 100.70): V









#62
4-Bromofluorobenzene
Concen: 37.74 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. 0.00 min
Lab File: VW006559.D
Acq: 01 Nov 2018 15:14




Instrument :
MSVOA_W
ClientSampleId :
DL-05B


Tgt Ion: 95 Resp: 138701
Ion Ratio Lower Upper
95 100
174 98.1 0.0 192.4
176 94.7 0.0 187.4



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW006559.D
Acq: 01 Nov 2018 15:14

Tgt Ion: 117 Resp: 388880
Ion Ratio Lower Upper
117 100
82 50.8 40.8 61.2
119 32.2 26.1 39.1





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 13.57 min Scan# 1913

Delta R.T. 0.00 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampled :

DL-05B


Tgt Ion:152 Resp: 209179

Ion Ratio Lower Upper

152 100

115 53.4 26.6 79.8




150 156.5 0.0 344.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V



#76

1,2,3-Trichloropropane

Concen: 42.18 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. -0.15 min

Lab File: VW006559.D


Acq: 01 Nov 2018 15:14

Tgt Ion: 75 Resp: 68842

Ion Ratio Lower Upper



75 100


77 1.2 0.0 0.0#



Abundance Ion 74.90 (74.60 to 75.60): VW

Ion 77.00 (76.70 to 77.70): VW





#81

trans-1,4-Dichloro-2-butene

Concen: 106.08 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.10 min

Lab File: VW006559.D

Acq: 01 Nov 2018 15:14

Instrument :

MSVOA_W

ClientSampleId :

DL-05B

Tgt Ion: 75 Resp: 68842

Ion Ratio Lower Upper

75 100

53 0.0 77.2 115.8#

89 0.0 38.6 58.0#

