

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW110920\
 Data File : VW017122.D
 Acq On : 09 Nov 2020 17:52
 Operator : SY/VA
 Sample : L4673-04
 Misc : 6.43G/10ML/MSVOA W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GB0S5

Quant Time: Nov 10 08:36:39 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 10 07:51:56 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	540313	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	494952	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	237862	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	147135	21.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.48%
7) Chloroethane-d5	2.90	69	119789	22.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	91.36%
10) 1,1-Dichloroethene-d2	4.03	63	204067	16.76	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.04%
20) 2-Butanone-d5	7.09	46	64612	42.45	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.90%
24) Chloroform-d	7.65	84	287790	22.82	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.28%
26) 1,2-Dichloroethane-d4	8.31	65	151542	24.17	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.68%
29) Benzene-d6	8.28	84	581215	23.06	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.24%
33) 1,2-Dichloropropane-d6	9.28	67	164318	23.57	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.28%
37) Toluene-d8	10.33	98	555570	23.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.52%
38) trans-1,3-Dichloropropene-	10.58	79	71906	22.88	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.52%
39) 2-Hexanone-d5	10.93	63	56706	46.61	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.22%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	141729	23.34	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.36%
61) 1,2-Dichlorobenzene-d4	13.85	152	202080	24.11	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.44%

Target Compounds

					Ovalue
13) Acetone	4.14	43	75393	73.986	ug/L 98
14) Carbon disulfide	4.40	76	5861	0.321	ug/L 95
16) Methylene chloride	4.92	84	5951	0.817	ug/L 86
21) 2-Butanone	7.18	43	17826	10.895	ug/L 100
22) cis-1,2-Dichloroethene	7.18	96	13783	1.878	ug/L 98
34) Benzene	8.32	78	11473	0.441	ug/L 100
44) Toluene	10.39	91	11833	0.414	ug/L 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW110920\
Data File : VW017122.D
Acq On : 09 Nov 2020 17:52
Operator : SY/VA
Sample : L4673-04
Misc : 6.43G/10ML/MSVOA W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GB0S5

Quant Time: Nov 10 08:36:39 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 10 07:51:56 2020
Response via : Initial Calibration

