

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW110920\
 Data File : VW017121.D
 Acq On : 09 Nov 2020 17:29
 Operator : SY/VA
 Sample : VIBLK11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Manual Integrations
 APPROVED

MMDadoda
 11/11/2020 1:52:40 PM

Quant Time: Nov 10 08:34:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 10 07:51:56 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	461756	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	428470	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	195327	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	141342	24.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	97.20%
7) Chloroethane-d5	2.90	69	112902	25.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.76%
10) 1,1-Dichloroethene-d2	4.03	63	184927	17.78	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.12%
20) 2-Butanone-d5	7.09	46	50883	39.12	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.24%
24) Chloroform-d	7.65	84	261843	24.29	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.16%
26) 1,2-Dichloroethane-d4	8.31	65	129070m	24.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.32%
29) Benzene-d6	8.28	84	523700	24.00	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.00%
33) 1,2-Dichloropropane-d6	9.28	67	146257	24.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.92%
37) Toluene-d8	10.33	98	482412	23.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.80%
38) trans-1,3-Dichloropropene-	10.58	79	58854	21.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.52%
39) 2-Hexanone-d5	10.93	63	40022	38.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.00%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	114907	21.86	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	180167	26.18	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.72%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11056	1.776 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW110920\
Data File : VW017121.D
Acq On : 09 Nov 2020 17:29
Operator : SY/VA
Sample : VIBLK11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 11 Sample Multiplier: 1




Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Manual Integrations
APPROVED

MMDadoda
11/11/2020 1:52:40 PM

Quant Time: Nov 10 08:34:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 10 07:51:56 2020
Response via : Initial Calibration





#16

Methvlene chloride

Concen: 1.776 ug/L

RT: 4.92 min Scan# 495

Delta R.T. -0.00 min

Lab File: VW017121.D

Acq: 09 Nov 2020 17:29

Tot Ion:	84	Resp:	11056
Ion Ratio	Lower	Upper	
84	100		
49	108.8	72.3	134.3
86	62.6	45.1	83.7

Instrument :
MSVOA_W
ClientSampled :
VIBLK11

Manual Integrations
APPROVED

MMDadoda
11/11/2020 1:52:40 PM

