

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW111620\
 Data File : VW017254.D
 Acq On : 16 Nov 2020 14:09
 Operator : SY/VA
 Sample : L4739-10
 Misc : 6.31G/10ML/MSVOA W/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GB0Z7

Quant Time: Nov 17 06:49:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Nov 17 06:08:23 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	422353	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	394537	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	193861	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	94957	17.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.40%
7) Chloroethane-d5	2.89	69	82971	20.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.96%
10) 1,1-Dichloroethene-d2	4.02	63	145262	15.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.08%
20) 2-Butanone-d5	7.08	46	58296	49.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.00%
24) Chloroform-d	7.65	84	228539	23.18	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.72%
26) 1,2-Dichloroethane-d4	8.31	65	129165	26.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.40%
29) Benzene-d6	8.27	84	441400	21.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.88%
33) 1,2-Dichloropropane-d6	9.27	67	126383	22.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.96%
37) Toluene-d8	10.33	98	422801	22.32	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.28%
38) trans-1,3-Dichloropropene-	10.58	79	58050	23.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.68%
39) 2-Hexanone-d5	10.93	63	50320	51.89	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	121615	25.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	170818	25.01	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.04%


Target Compounds					Ovalue
13) Acetone	4.14	43	3919	4.920 ug/L	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW111620\
Data File : VW017254.D
Acq On : 16 Nov 2020 14:09
Operator : SY/VA
Sample : L4739-10
Misc : 6.31G/10ML/MSVOA W/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GB0Z7

Quant Time: Nov 17 06:49:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM110420S.M
Quant Title : VOC Analysis
QLast Update : Tue Nov 17 06:08:23 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.920 ug/L
 RT: 4.14 min Scan# 366
 Delta R.T. 0.01 min
 Lab File: VW017254.D
 Acq: 16 Nov 2020 14:09

Instrument :
 MSVOA_W
 ClientSampleId :
 GB0Z7

Tot Ion: 43 Resp: 3919
 Ion Ratio Lower Upper
 43 100
 58 15.9 0.0 69.2

